

COMMON FARMLAND BIRDS IN ITALY

Update of population trends and Farmland Bird Indicator
for the National CAP Network



Document produced by the Italian Ministry of agriculture, food sovereignty and forestry (Ministero dell'agricoltura, della sovranità alimentare e delle foreste) as part of the activities of the National CAP Network 2025-2027 (Rete Nazionale della PAC).

Editorial coordination

Federica Luoni, Roberta Righini e Matteo Fontanella (Lipu)

Texts

Federica Luoni, Roberta Righini e Matteo Fontanella (Lipu)

Translators

Elisa Bonora, Federica Luoni, Roberta Righini e Matteo Fontanella (Lipu)

Thanks also

Paolo Ammassari, Simona Angelini, Giuseppe Blasi, Salvatore Viscardi (Masaf); Giovanni Albarella, Ahlam Bamaarouf, Claudio Celada, Marco Dinetti, Giorgia Gaibani, Antonio Gardelli, Marco Gustin, Silvia Maselli, Andrea Mazza, Boris Pesci e Danilo Selvaggi (Lipu); Mattia Brambilla (Università degli studi di Milano); Tommaso Campedelli, Simonetta Cutini, Guglielmo Londi (soc. D.R.E.Am. Italia); Paolo Bonazzi, Lia Buvoli (studio FaunaViva); Gianpiero Calvi (studio Pteryx).

From Lipu, thanks to all the authors of the beautiful pictures that enrich this brochure and which were taken according to an idea of photography inspired by ethics, respect for nature and full responsibility of the photographer towards the subjects represented.

Design and layout

Tracce.com

Related web sites

<http://www.lipu.it/>

<https://www.ebcc.info/>

The English and Italian versions of this brochure, with the technical reports in Italian, can be downloaded from:

www.reterurale.it

The English and Italian versions of this brochure, with the technical reports in Italian, can be downloaded from:

Rete Nazionale della PAC & Lipu (2025). Common breeding farmland birds in Italy. Update of population trends and Farmland Bird Indicator for National CAP Network

Cover photo

Eurasian Wryneck by Luigi Gennari



Since 1994 LIPU is the Italian partner of BirdLife International – a global partnership of more than 100 independent organisation with a special focus on birds and nature. <https://www.birdlife.org/>

THE 2025 IN A NUTSHELL

- 33,5%

FBI - Italy decline of the indicator over 26 years of monitoring (2000-2025)

-58%

FBI - Europe (1980-2024)*

-52%

FBI - EU (1980-2024)*

71%

species in decline

-38%

FBI-hilly areas

140

experts in the field (538 from 2000 to 2025)

635

monitored cells (1.775 from 2000 to 2025)

102.653


bird records (2.005.761 from 2000 to 2025)

93.000

listening minutes (1.867.390 from 2000 to 2025)

THE 10 SPECIES MOST AFFECTED IN AGRICULTURAL AREAS:

- EURASIAN WRYNECK -76%
- TAWNY PIPIT -73%
- STONECHAT -71%
- RED-BACKED SHRIKE -65%
- TREE SPARROW -61%
- ITALIAN SPARROW -60%
- GREENFINCH -59%
- SKYLARK -54%
- YELLOW WAGTAIL -49%
- SERIN -47%



IL FARMLAND BIRD INDEX

Birds have been identified as an effective bioindicator due to their sensitivity to environmental changes, their easy detectability, and their suitability for large-scale habitat monitoring.

The **Farmland Bird Index (FBI) - bird census** is a national-scale monitoring project of bird populations linked to agricultural environments, which takes place every year.

Its aim is to calculate the indicator of the same name defined as Context Indicator C36, namely the Index of bird populations in agricultural environments, as part of EU's common agricultural policy (CAP) 2025-2027 program, both at national and regional level, in line with the previous program 2014-2022 (it then represented Indicator C35).

In Italy, this census is one of a kind for width of monitored area (country-wide, including islands) and duration: from a previous monitoring called MiTO2000 (Monitoraggio Italiano Ornitologico), started in 2000 on a voluntary basis, the project has gradually grown under LIPU's guidance and coordination taking on the present name and structure. Since 2009, the project has benefited from the support of the Ministry of Agriculture, Food Sovereignty and Forestry (MASAF, formerly Mipaaf), thanks to a funding from Rete Rurale Nazionale (until 2024) and Rete Nazionale PAC (since 2025); this has led to a stronger project organization, and granted ongoing data collection and systematic analysis on a yearly basis.

THE DATA COLLECTION AND ANALYSIS PROTOCOL

The sampling plan¹ divides the national territory into 10x10 km UTM squares; at present, every year at least 500 of them are monitored. Based on a standardized protocol, the census is carried out by a network of professional counters and expert volunteers, coordinated by LIPU and set up at regional level. The chosen technique is by 10-minute listening points, taking place during the breeding season (May-June), at sunrise, in good weather conditions. Each square includes at least 15 listening points, located in just as many squares with 1 km side, chosen through a statistical randomization procedure. For each listening point, all heard and seen species are noted along with geographical coordinates and environmental data. These data are then collected by LIPU for filing, validation and statistical analysis with the support of expert providers.

The Farmland Bird Index (FBI) and the Montane Grassland Index (FBI_{pm}) are the two main indicators calculated; they summarise the population trend of 41 bird species (28 for FBI and 13 for FBI_{pm}) selected for their strong, vital connection to agricultural environments.


THE MONITORING OF BIRD POPULATION AT EUROPEAN LEVEL

The Pan-European Common Bird Monitoring Scheme (PECBMS²) is a transnational project coordinated by BirdLife International and the European Bird Census Council (EBCC), aimed at collecting comparable, high-quality data on common bird populations in Europe. In fact, the condition of ecosystems can be measured through an ongoing monitoring and analysis of changes of bird species in space and time. Data collected in Italy in the FBI project are submitted to the European database yearly, and contribute to calculating the aggregate index of European common farmland species.

¹: <http://reterurale.it> Rete Nazionale della Pac & LIPU (2025). National Farmland Bird Index and population trends of species in Italy in the period 2000-2025. Methodologies and database.


²: <https://pecbms.info>

FARMLAND BIRD INDEX AND MONTANE GRASSLAND INDEX FOR ITALY IN THE PERIOD 2000-2025



IN 2025, THE FARMLAND BIRD INDEX (FBI) AND THE MONTANE GRASSLAND INDEX (FBI_{pm}) RECORDED VALUES ARE RESPECTIVELY 66,51 AND 70,10 (ASSUMING 100 AS THE INITIAL VALUE IN 2000).


As such, both trends confirm a decline in line with the past few years. Of the 28 species of farmland birds (FBI) considered, way more than 70% show a relevant decline. Some species which are currently stable suffered a steep decline in their populations in the past few years, therefore they still have a non-optimal status. On the other hand, generalist species that are well adapted to anthropization, such as Corvids, are increasing.



CLASSIFICATION OF SPECIES POPULATION TRENDS

The two main national indicators, Farmland Bird Index (FBI) and Montane Grassland Index (FBIm), are calculated as a geometric average of the trends of each selected species, respectively 28 species linked to agricultural environments (FBI) and 13 species related to montane grassland (FBIm), listed in the Table on page 7.

Once validated and entered into the complete database, field data are analysed with specific statistical programs to assess demographic trends and time variations (using rTRIM,). The trend for each species analysed is classified in one of the following trend categories (as recommended by EBCC):



INSUFFICIENT DATA

Data about a species' presence are too scarce to calculate yearly population indexes descriptive of ongoing trend, even uncertain.

Placement into one of the available trend categories takes into account not only the extent of yearly average change, but also the precision of the estimate; this ensures a more reliable assessment that is representative of the populations variation status.

It should be emphasized that the classification of species in these trend categories is to be read as a statistical analysis of data, not as a count of populations in absolute terms. Sometimes it may be the case that, from year to year, a species is classified with a different trend; this is because, by adding a year's data, a trend already in place but not statistically significant in the previous years may become clear.

	Common name	Scientific name	Annual change e ± SE (%)	Trend classification 2000-2025	Cells (10x10km)	Conservation status ^{1,2}	SPEC ³
SPECIES USED TO CALCULATE THE FBI INDICATOR	Eurasian Wryneck	<i>Jynx torquilla</i>	-5,64 (±0,31)		626	I	Non-SPEC
	European Stonechat	<i>Saxicola rubicola</i>	-5,62 (±0,18)		944	I	Non-SPEC
	European Turtle Dove	<i>Streptopelia turtur</i> *	-1,59 (±0,12)		1038	P	SPEC 1
	Calandra Lark	<i>Melanocorypha calandra</i>	-2,25 (±0,78)		78	P	SPEC 3
	Crested Lark	<i>Galerida cristata</i>	-1,02 (±0,15)		526	I	SPEC 3
	Eurasian Skylark	<i>Alauda arvensis</i>	-2,63 (±0,16)		756	P	SPEC 3
	Barn Swallow	<i>Hirundo rustica</i>	-1,75 (±0,12)		1270	P	SPEC 3
	Tawny Pipit	<i>Anthus campestris</i>	-3,29 (±0,44)		238	P	Non-SPEC
	Western Yellow Wagtail	<i>Motacilla flava</i>	-1,30 (±0,23)		334	I	SPEC 3
	White Wagtail	<i>Motacilla alba</i>	-1,35 (±0,16)		1100	I	Non-SPEC
	Common Nightingale	<i>Luscinia megarhynchos</i>	-0,48 (±0,1,0)		1052	F	Non-SPEC ^E
	Red-backed Shrike	<i>Lanius collurio</i> *	-3,87 (±0,21)		831	P	Non-SPEC
	Common Starling	<i>Sturnus vulgaris</i>	-0,90 (±0,17)		915	F	Non-SPEC
	Italian Sparrow	<i>Passer italiae</i>	-2,87 (±0,12)		1152	P	SPEC 1
	Spanish Sparrow	<i>Passer hispaniolensis</i>	-2,05 (±0,27)		171	I	Non-SPEC
	Eurasian Tree Sparrow	<i>Passer montanus</i>	-2,96 (±0,17)		1031	P	SPEC 3
	European Serin	<i>Serinus serinus</i>	-1,09 (±0,10)		1281	F	Non-SPEC ^E
	European Greenfinch	<i>Chloris chloris</i>	-3,39 (±0,12)		1221	I	Non-SPEC ^E
	European Goldfinch	<i>Carduelis carduelis</i>	-2,86 (±0,10)		1322	I	Non-SPEC
	Ortolan Bunting	<i>Emberiza hortulana</i> *	-3,11 (±0,74)		112	P	SPEC 2
	Lesser kestrel	<i>Falco Tinnunculus</i> *	-0,12 (±0,17)		1166	F	SPEC 3
	Eurasian Hoopoe	<i>Upupa epops</i>	-0,08 (±0,17)		905	F	Non-SPEC
	Greater Short-toed Lark	<i>Calandrella brachydactyla</i>	0,23 (±0,71)		149	P	SPEC 3
	Corn Bunting	<i>Emberiza calandra</i>	0,29 (±0,14)		848	I	Non-SPEC ^E
	Eurasian Golden Oriole	<i>Oriolus oriolus</i>	1,85 (±0,15)		900	F	Non-SPEC
	Eurasian Magpie	<i>Pica pica</i>	1,68 (±0,10)		1072	F	Non-SPEC
	Hooded Crow	<i>Corvus cornix</i>	0,21 (±0,09)		1247	F	Non-SPEC ^E
	Spotless Starling	<i>Sturnus unicolor</i>	3,4 (±0,45)		150	F	Non-SPEC ^E
SPECIES USED TO CALCULATE THE FBPM INDICATOR	Water Pipit	<i>Anthus spinoletta</i>	-0,97 (±0,38)		141	I	SPEC 3
	Northern Wheatear	<i>Oenanthe oenanthe</i>	-0,77 (±0,36)		223	P	Non-SPEC
	Fieldfare	<i>Turdus pilaris</i>	-2,07 (±0,63)		105	I	Non-SPEC ^E
	Garden Warbler	<i>Sylvia borin</i>	-5,20 (±0,73)		104	I	Non-SPEC ^E
	Common Redpoll	<i>Acanthis flammea</i>	-5,16 (±0,67)		92	F	Non-SPEC
	Yellowhammer	<i>Emberiza citrinella</i>	-2,89 (±0,41)		232	P	SPEC 2
	Tree Pipit	<i>Anthus trivialis</i>	0,29 (±0,28)		303	I	SPEC 3
	Dunnock	<i>Prunella modularis</i>	-0,33 (±0,40)		185	F	SPEC 2
	Whinchat	<i>Saxicola rubetra</i>	-1,20 (±0,61)		123	I	Non-SPEC ^E
	Ring Ouzel	<i>Turdus torquatus</i>	0,09 (±0,74)		100	I	Non-SPEC ^E
	Lesser Whitethroat	<i>Curruca curruca</i>	-0,05 (±0,63)		139	F	Non-SPEC
	Carrion Crow	<i>Corvus corone</i>	-0,11 (±0,40)		226	F	Non-SPEC
	Black Redstart	<i>Phoenicurus ochruros</i>	1,33 (±0,22)		602	F	Non-SPEC

STRONG
INCREASE

MODERATE
INCREASE

STEEP
DECLINE

MODERATE
DECLINE

STABLE

UNCERTAIN

FAVOURABLE
F

POOR
P

INADEQUATE
I

*species listed in the Annex I to the Birds Directive 2009/147/EC

1 Brambilla M., Gustin M., Celada C., 2013. Species appeal predicts conservation status. Biol. Conserv. 160, 209–213

2 Gustin, M., Brambilla, M., Celada, C., 2016. Stato di conservazione e valore di riferimento favorevole per le popolazioni di uccelli nidificanti in Italia. Rivista Italiana di Ornitologia, 86 (2), 3-58

3 Burfield I.J., Rutheford C.A., Fernando E., Grice H., Piggott A., Martin R.W., Balman M., Evans M.I. & Staneva A. (2023). Birds in Europe 4: species of European Concern. Bird Conservation International.



The European wryneck (Jynx torquilla) is a long-distance migratory species that nests throughout most of Italy and is typical of traditional agricultural environments such as orchards, vineyards with trees, scattered woods and shrubby hedges. In Italy, its conservation status is unfavourable, and its population is in deep decline (-76,28% compared to 2000). The main causes of its decline are the loss of old trees, the removal of hedges and the massive use of pesticides and insecticides. Maintaining and restoring highly natural agricultural habitats, including the release and restoration of rows of trees, hedges and riparian vegetation, is essential to reverse this trend and ensure the survival of its populations in our country.

European wryneck by Luca Villa


TREND OF INDICATORS IN ORNITHOLOGICAL ZONES

Due to its geographic features, Italy is an extremely heterogeneous territory regarding the environment and farming landscapes. National-scale population trends provide an overview of the situation in Italy, but a more detailed analysis is needed to observe local peculiarities which would not emerge on a national scale. With this aim, the FBI indicator is also calculated for ornithological zones, that is, very different homogeneous environments (for example, plains and mountains). To do so, 6 ornithological zones¹ have been identified (Alps, Prealps and Apennines, hilly areas, plains, Mediterranean mountains, Pseudo-steppes), each with their own indicator species which, although not limited to that specific zone, represent its ecological characteristics. The indicator has been calculated following the national-scale method: within each ornithological zone, the trend of each species has been calculated, then its FBI.



Data for 2025 show a decline of the indicator for all ornithological zones except for Alps, where it is stable. In flood plains the situation is still extremely critical, with a decline over 50% (-50.19), emphasizing the strong need for widespread restoration actions for the environment. The same goes for upland areas, where a constant decline of indicators has been observed for a decade already, in line with the trend of plains; a timely intervention to reverse this trend is crucial to preserve conservation refugia of typical farmland species. This is especially true for Mediterranean ornithological zones, where changes in farming practices are most associated with the effects of climate changes and with changes in soil use.

1: Londi G., Tellini Florenzano G., Campedelli T. & Fornasari L. 2010. An ornithological zonation of Italy. In: Bird Numbers 2010 "Monitoring, indicators and targets". Book of abstracts of the 18th Conference of the European Bird Census Council (ed. Bermejo, A.). EBCC-SEO Birdlife, Madrid, Pp.77



Which future and role will birds and nature have in permanent tree crops?

by **Mattia Brambilla**

The transformation of ecosystems for production purposes is one of the biggest threats to biodiversity on a world scale, and the intensification of agriculture is one of the main causes for common birds decline in Europe. Agricultural tree crops such as vineyards, orchards, olive groves, poplar woods, hazel groves etc. are no exception. Over the past decades, traditional cultivation methods for these crops have been replaced with different tree plantations, with a higher yield per hectare and easier to manage through machines and automated

systems. Orchards with good-sized trees, scattered in a grassland matrix that provided fodder or grazing land for farm animals, have been replaced with much smaller trees, planted in very thick rows, leaving enough room in between for tractor passage. Similarly, modern vineyards are characterized by vines with a relatively simple structure, arranged in rows along the slope (with risk of high soil erosion) to allow passage of machinery. At the same time, the number of treatments has progressively increased to protect crops from a growing number of threats, which



Hilly landscape, from Lipu's archive

are made worse by climate change and extended monocultures, where parasites and pathogens often thrive.

Of course, all these changes have played a significant role for many wild species too. Variations in populations concern not only bird species, but also many other groups for which birds are generally good indicators: what happens to bird populations often reflects the overall trend for most biodiversity. In the case of tree crops, the loss of natural and semi-natural environments and of landscape heterogeneity negatively affects a lot of species, consequently the entire bird community and, in general, the biological community as a whole within these agroecosystems. In fact, the change in crop structure is one of the main causes of the decline or disappearance of many species linked to more open environments with scattered tree and shrub vegetation, such as shrikes or some Emberizidae; on the other hand, it has favoured some generalist and forest margin species, such as some fringillids or Turdidae. The change to smaller plants with a much simpler structure has led to a decrease in potential nesting sites for many birds, while the reduction of grassland areas has deprived other species of essential feeding environments. Intensification of treatments and soil working negatively affects most species, while it can benefit some "opportunistic" ones such as some corvids, that take advantage of stress conditions and increased exposure suffered by other species. Very frequent treatments in crops such as vineyards during the breeding season cause serious disturbance to nesting couples, leading to a high rate of nest abandonment and nesting failure. Intensive management of grassy vegetation under the crop strongly affects floral and arthropod communities, impacting on the availability of essential trophic resources for birds. Continued soil working or even, very frequent mowing cause a significant diversity loss and a decline in plants and invertebrates, with cascade effects on higher trophic levels.

These unfavourable changes negatively affect not only bird populations and biodiversity in general, but also crops themselves. A decline in predators like birds and bats, for example, results in higher levels of pest infestation which, in turn, lead to more damage to crops and the need for more pesticides. The loss of farmland heterogeneity and the decline in biodiversity negatively affect ecosystem services, not only regulating ones such as pest predation or pollination, but also cultural ones such as recreation, aesthetic value and touristic appeal of farmlands.


While this situation is not so encouraging,

there are experiences and results that instill hope. In vineyards, simple solutions to manage ground grass can create much more favourable conditions for biodiversity: in particular, alternate management (mowing or soil working every other row) favours birds and butterflies. For birds, alternation of tall grass and short or almost no grass creates a favourable combination of "kitchen" (tall grass, rich in invertebrates and seeds but poorly accessible) and "dining room" (short or thin grass, where birds can immediately spot and catch invertebrates and seeds). For butterflies (and other pollinators), this kind of management ensures that there are always parts with lots of flowers. Instead, soil working and complete mowing eliminate floral resources, which are also very scarce with no management at all, due to a thick layer of grasses that keeps out most nectariferous species. In some settings, both vineyards and orchards, the scarcity of nesting sites can be compensated with nest boxes; provided that environmental conditions are suitable for the other needs of the species, these boxes can host tits, common redstarts, Eurasian wrynecks, hoopoes, spotted flycatchers, and insectivorous species which can contribute to the control of damaging species for crops. Collaboration projects between the research world and local farming businesses resulted in significant improvements for biodiversity (and our society) in a few years, through the study and implementation of measures and good practices to support biological diversity in crops. These actions have showed that more sustainable ways of producing wine, fruit or olives are possible and even feasible, and they are beneficial to farmers too. For this reason, these good practices have been included in the latest CAP programming called CSP, both for eco-schemes (especially no. 2) and rural development. Results will be seen only in the next years, but it is already clear that a joint effort is required for these practices to become common, not just case-specific; only then will permanent crops become environments where life thrives, where wild species and production can coexist for the benefit of all.

ROBUSTNESS OF INDICATORS OVER THE YEARS

Long timescale monitoring is essential because it provides an overview of population dynamics of biological species, enhancing trend interpretation. As a matter of fact, because the index is calculated on an increasingly robust and well-organised database, the margin of error due to temporary variations or fluctuations, or to any flaw in monitoring in each single year, is reduced. Therefore, a data archive spanning over more than 25 years provides a thorough view of the evolution of the trend of indicators, and allows to identify trends and changes in time, thus increasing statistical precision.

This is especially clear when the classification of species based on populations trend is compared to their trends over the years of the project. The examples in the following diagrams clearly show that a higher number of years of sampling (that turns into a higher number of repetitions per listening point and a larger amount of data available for analysis) corresponds to a lower percentage of species with uncertain trend (grey) or insufficient data (yellow). Specific region-related information can be found in annual reports available on Rete Pac website.



CALL TO ACTION FOR BIODIVERSITY!

Enhance the sampling plan at regional level with ad-hoc projects to be carried out alongside national data collection

Implement monitoring projects for more rare and/or poorly detectable species such as, for example, some diurnal birds of prey or the little bustard

Monitor how bird and other *taxa* communities react to climate changes, and implement adaptive plans for their conservation

Promote consumption and nutrition styles which are respectful of biodiversity conservation

Promote, support and implement agroecological practices through financial support to companies and land management authorities, as well as an appropriate professional development and information program for both companies and consultants. In particular:

- Create and maintain natural elements of the landscape (for ex. hedges, tree rows, grassy strips etc.) at least on 10% of farmland, to allow for nesting and feeding sites
- Preserve and manage permanent grass-grazing land while respecting the needs of biodiversity conservation
- For permanent cultivations, ensure soil coverage and management in such a way as to preserve bird populations and pollinators
- Significantly decrease the use of external input, such as plant protection products of synthetic origin, especially those which are candidates for substitution

THE KEY ROLE OF RESTORATION

The European Nature Restoration Regulation entered into force on 18 August 2024, also known as Nature Restoration Law, stands as an important opportunity to reverse the trend of farmland birds decline.

Articles 10 and 11 explicitly provide for the restoration of agroecosystems, which are pivotal for the protection of many bird species. In particular, article 10 compels Member States to put in place in a timely manner appropriate and effective measures to improve pollinator diversity and reverse the decline of their populations by 2030, while article 11 calls for restoration measures to enhance biodiversity in agricultural ecosystems by implementing agroecological practices, some of which are listed as an example in Annex VII. Moreover, article 4 compels Member States to put in place the restoration measures that are necessary to improve to good conditions areas of habitat which are not in good conditions, many of which are in fact linked to farming practices, such as grassland or steppe systems.

The Farmland Bird Index, together with the Forest Bird Index, will become one of the key indicators to assess the effectiveness of the regulation enforcement at member state level.

NATIONAL FINANCIAL SUPPORTERS

Anni 2009-2025 – Ministero dell'agricoltura, della sovranità alimentare e delle foreste

Local financial supporters, regional coordinators and counters for FBI project 2009-2025 (in alphabetical order):

ABRUZZO

Coordinator: Mauro Bernoni (2009-2025)

Counters: Antonio Antonucci, Carlo Artese, Mauro Bernoni, Sante Cericola, Mirko Di Marzio, Mauro Fabrizio, Davide Ferretti, Giorgio Lalli, Marco Liberatore, Antonio Monaco, Lorenzo Petrizelli, Eliseo Strinella

BASILICATA

Coordinator: Egidio Fulco (2009-2025)

Counters: Tommaso Campedelli, Pietro Chiatante, Simonetta Cutini, Egidio Fulco, Cristiano Luzzi, Guglielmo Londi, Donato Lorubio, Fabio Mastropasqua, Simone Todisco

PROVINCIA DI BOLZANO

Coordinator: Oskar Niederfriniger (2009-2011), Erich Gasser (2012-2015), Patrick Egger (2016-2025)

Counters: Paolo Bonazzi, Tommaso Campedelli, Tanja Dirler, Patrick Egger, Alessandro Franzoi, Erich Gasser, Christian Kofler, Leo Hilpold, Andreas Lanthaler, Guglielmo Londi, Oskar Niederfriniger, Paolo Pedrini, Iacur Prugger, Arnold Rinner, Francesca Rossi, Udo Thoma, Leo Unterholzner

Financial supporter: Arbeitsgemeinschaft für Vogelkunde und Vogelschutz – Südtirol (2009-2024)

CALABRIA

Coordinator: Francesco Sottile (2009-2025)

Counters: Rosario Balestrieri, Domenico Bevacqua, Paolo Bulzoni, Giuseppe Camelliti, Giovanni Capobianco, Gianluca Congi, Salvatore De Bonis, Manuel Marra, Giuseppe Martino, Eugenio Muscianese, Manuela Policastrese, Mario Pucci, Francesco Sottile, Pierpaolo Storino, Salvatore Urso, Maurizio Vena

CAMPANIA

Coordinator: Rosario Balestrieri (2013-2018), Danila Mastronardi (2009-2025) e Giovanni Capobianco (2019-2025)

Counters: Rosario Balestrieri, Ilaria Cammarata, Camillo Campolongo, Silvia Capasso, Giovanni Capobianco, Vincenzo Cavaliere, Costantino D'Antonio, Davide De Rosa, Raffaele Di Biasi, Bruno Dovere, Elio Esse, Salvatore Ferraro, Alfredo Galletti, Marcello Giannotti, Silvana Grimaldi, Ottavio Janni, Mario Kalby, Arnaldo Iudici, Marilena Izzo, Claudio Mancuso, Danila Mastronardi, Alessandro Motta, Stefano Picicocchi, Andrea Senese, Filippo Tatino, Alessio Usai, Mark Walters, Davide Zeccolella

Financial supporter: Assessorato all'Agricoltura – Regione Campania (2012-2013-2017, 2024)

EMILIA-ROMAGNA

Coordinator: Stefano Gellini e Pier Paolo Ceccarelli (S.T.E.R.N.A.) (2000-2025) e Marco Gustin (Lipu) (2011-2025) **Counters:** Davide Alberti, Mattia Bacci, Luca Bagni, Simone Balbo, Mario Bonora, Fabrizio Borghesi, Francesco Cacciato, Maurizio Casadei, Lino Casini, Pier Paolo Ceccarelli, Carlo Ciani, Massimiliano Costa, Simonetta Cutini, Paolo Gallerani, Carlo Maria Giorgi, Marco Gustin, Giorgio Leoni, Guglielmo Londi, Massimo Sacchi, Maurizio Samori, Fabio Simonazzi, Stefano Soavi, Cristiano Tarantino, Luigi Ziotti

Financial supporter: Regione Emilia-Romagna D.G. Agricoltura, economia ittica, attività faunistico venatorie, Servizio Programmi, Monitoraggio e Valutazione (2011-2013)

FRIULI-VENEZIA GIULIA

Coordinator: Roberto Parodi (2009), Fabrizio Florit (Reg. aut. Friuli Venezia Giulia – Osservatorio biodiversità) (2010-2025)

Counters: Marco Baldin, Enrico Benussi, Alessandro Bertoli, Antonio Borgo, Silvano Candotto, Renato Castellani, Matteo De Luca, Bruno Dentanesani, Fabrizio Florit (Reg. aut. Friuli Venezia Giulia, Osservatorio biodiversità), Gino Gobbo (Carabinieri forestali, Uff. terr. biodiversità di Tarvisio), Carlo Guzzon, Kajetan Kravos, Francesco Mezzavilla, Roberto Parodi, Michele Pegorer, Remo Peressin, Francesco Scarton, Valter Simonitti, Pier Luigi Tiaiori, Matteo Toller (Reg. aut. Friuli Venezia Giulia, Corpo forestale regionale, St. for. di Tolmezzo), Michele Toniutti (Reg. aut. Friuli Venezia Giulia, Corpo forestale regionale, St. for. di Udine), Paul Tout, Marta Trombetta (Reg. aut. Friuli Venezia Giulia, Corpo forestale regionale, St. for. di Tolmezzo), Paolo Utmar, Tarcisio Zorzenon (Reg. aut. Friuli Venezia Giulia, Serv. Foreste e Corpo forestale, St. for. di Duino-Aurisina)

Financial supporter: Regione autonoma Friuli Venezia Giulia, Direzione centrale infrastrutture e territorio, Servizio paesaggio e biodiversità, Ufficio studi faunistici (2010-2012)

LAZIO

Coordinator: Alberto Sorace (Ass. Parus) (2009-2025)

Counters: Mauro Bernoni, Massimo Brunelli, Michele Cento, Ferdinando Corbi, Simonetta Cutini, Gaia De Luca, Emiliano De Santis, Marianna Di Santo, Luigi Ianniello, Daniele Iavicoli, Emanuela Lorenzetti, Mario Melletti, Angelo Meschini, Sergio Muratore, Roberto Papi, Loris Pietrelli, Stefano Sarrocco, Enzo Savo, Sara Sciré, Alberto Sorace, Daniele Taffon, Marco Trotta

LIGURIA

Coordinator: Sergio Fasano (2009-2025)

Counters: Luca Baghino, Massimo Campora, Renato Cottalasso, Sergio Fasano, Roberto Toffoli, Rudy Valfiorito

Financial supporter: Regione Liguria, Dipartimento Ambiente, Servizio Parchi, Aree protette e Biodiversità (2009-2013), Ente Parco del Beigua (2014-2025)

LOMBARDIA

Coordinator: Lia Buoli (Ass. FaunaViva) (2009-2025)

Counters: Giuseppe Agostani, Davide Aldi, Gaia Bazzi, Mauro Belardi, Roberto Bertoli, Paolo Bonazzi, Sonia Braghiroli, Gianpiero Calvi, Stefania Capelli, Gianpasquale Chiatante, Giovanni Colombo, Simonetta Cutini, Felice Farina, Massimo Favaron, Lorenzo Fornasari, Arturo Gargioni, Nunzio Grattini, Daniele Longhi, Giuseppe Lucia, Alessandro Mazzoleni, Alessandro Nessi, Mariella Nicastro, Mattia Panzeri, Alessandro Pavesi, Fabrizio Reginato, Cesare Rovelli, Massimo Sacchi, Jacopo Tonetti, Andrea Viganò, Severino Vitulano

Financial supporter: Regione Lombardia – D.G. Agricoltura (2009-2013)

MARCHE

Coordinator: Riccardo Santolini e Fabio Pruscini (2009-2015), Paolo Perna (2016-2025)

Counters: Jacopo Angelini, Simonetta Cutini, Federico Fanesi, Nicola Felicetti, Fabrizio Franconi, Mauro Furlani, Maurizio Fusari, Pierfrancesco Gambelli, Paolo Giacchini, Guglielmo Londi, Giorgio Marini, Mauro Mencarelli, Federico Morelli, Niki Morganti, Francesca Morici, Mina Pascucci, Giovanni Pasini, Paolo Perna, Danilo Procaccini, Fabio Pruscini

MOLISE

Coordinator: Lorenzo De Lisio (2009-2025)

Counters: Rosario Balestrieri, Giovanni Capobianco, Marco Carafa, Andrea Corso, Lorenzo De Lisio, Davide De Rosa, Marilena Del Romano, Carlo Fracasso

PIEMONTE

Coordinator: Roberto Toffoli (2009-2025)

Counters: Riccardo Alba, Giacomo Assandri, Andrea Battisti, Giovanni Boano, Stefano Boccardi, Luca Borghesio, Enrico Caprio, Franco Carpegna, Daniela Casola, Stefano Costa, Dario Di Noia, Ivan Ellena, Sergio Fasano, Alessandro Ghiggi, Luca Giraudo, Davide Giuliano, Marco Pavia, Claudio Pulcher, Leonardo Siddi, Giovanni Soldato, Roberto Toffoli, Simone Tozzi

Financial supporter: Regione Piemonte, Assessorato Agricoltura, Istituto Pianta da Legno e Ambiente IPLA (2009-2022)

PUGLIA

Coordinator: Giuseppe La Gioia (Ass. Or.Me.) (2009-2025)

Counters: Giuseppe Albanese, Michele Bux, Tommaso Capodiferro, Tommaso Campedelli, Michele Cento, Pietro Chiatante, Vincenzo Cripezzi, Filippo D'Erasmus, Marco D'Errico, Egidio Fulco, Mirko Galuppi, Lorenzo Gaudiano, Vittorio Giocia, Giuseppe Giglio, Anthony Green, Rocco Labadessa, Giuseppe La Gioia, Cristiano Luzzi, Gaetano Luce, Manuel Marra, Fabio Mastropasqua, Massimo Notarangelo, Giuseppe Nuovo, Simone Todisco, Severino Vitulano, Fabrizio Zonno

SARDEGNA

Coordinator: Sergio Nissardi e Danilo Pisu (2009-2025)

Counters: Jessica Atzori, Pasqualina Carta, Fabio Cherchi, Roberto Cogoni, Davide De Rosa, Ilaria Fozzi, Pier Francesco Murgia, Sergio Nissardi, Riccardo Paddeu, Stefania Piras, Danilo Pisu, Giampaolo Ruzzante, Angelo Sanna, Carla Zucca

SICILIA

Coordinator: Lipu (2009), Amelia Roccella (2010-2025)

Counters: Salvatore Bondi, Barbara Bottini, Emanuela Canale, Carlo Capuzzello, Michele Cento, Fabio Cilea, Giovanni Cumbo, Simonetta Cutini, Graziella Dell'Arte, Paolo Galasso, Egle Gambino, Gabriele Giacalone, Elena Grasso, Renzo Lentile, Giovanni Leonardi, Guglielmo Londi, Flavio Lo Scalzo, Maurizio Marchese, Amelia Roccella, Angelo Scuderi

TOSCANA

Coordinator: Guido Tellini Florenzano (D.R.E.Am. Italia) (2009-2016), Simonetta Cutini (D.R.E.Am. Italia) (2017-2025), Luca Puglisi (COT) (2009-2025)

Counters: Emiliano Arcamone, Giancarlo Battaglia, Tommaso Campedelli, Alberto Chiti-Batelli, Iacopo Corsi, Barbara Cursano, Simonetta Cutini, Michele Giunti, Marco Lebboroni, Guglielmo Londi, Angelo Meschini, Ewa Oryl, Lorenzo Petrizelli, Francesco Pezzo, Sandro Piazzini, Luca Puglisi, Davide Ridente, Alessandro Sacchetti, Roberto Savio, Guido Tellini Florenzano, Marco Valtriani, Lorenzo Vanni, Ursula Veken, Andrea Vezzani

Financial supporter: Regione Toscana, Direzione Generale dello Sviluppo Economico, Settore Politiche agroambientali, attività faunistica-venatoria e pesca dilettantistica. Beneficiario COT (2009-2013)

PROVINCIA DI TRENTO

Coordinator: Paolo Pedrini (MUSE – Biologia della Conservazione, Zoologia dei vertebrati) (2009-2025)

Counters: Giacomo Assandri, Tommaso Campedelli, Alessandro Franzoi, Guglielmo Londi, Luigi Marchesi, Paolo Pedrini, Franco Rizzolli, Francesca Rossi, Michele Segata, Gilberto Volcan

Financial supporter: Museo delle Scienze di Trento (2009-2024), Provincia Autonoma di Trento: Dipartimento Agricoltura, PSR 2017-22; Accordo di Programma per la Ricerca PAT

UMBRIA

Coordinator: Francesco Velatta (Osservatorio Faunistico Regionale) (2009-2023), Giuseppina Lombardi (Osservatorio Faunistico Regionale) (2009-2025)

Counters: Enrico Cordiner, Laura Cucchia, Nicola Felicetti, Egidio Fulco, Angela Gaggi, Daniele Iavicoli, Sara Marini, Angelo Meschini, Monica Montefameglio, Mario Muzzatti, Andrea Maria Paci, Carmine Romano, Francesco Velatta, Martina Zambon

Financial supporter: Osservatorio Faunistico Regione Umbria (2009, 2011-2025)

VALLE D'AOSTA

Coordinator: Roberto Toffoli (2009-2025)

Counters: Andrea Battisti, Stefano Boccardi, Franco Carpegna, Vittorio Fanelli, Sergio Fasano, Lorenzo Petrizelli, Roberto Toffoli

Financial supporter: Servizio Aree protette, Assessorato Agricoltura e Risorse naturali, Regione autonoma Valle d'Aosta (2009-2011, 2013)

VENETO

Coordinator: Francesco Mezzavilla (2009-2014), Maurizio Sighele (Provincia VR: 2009-2023), Andrea Favaretto (2015-2025), Giacomo Sighele (Provincia VR: 2024-2025)

Counters: Marco Basso, Paolo Bertini, Katia Bettiol, Renato Bonato, Luca Boscain, Michele Cassol, Michele Cento, Elvio Cerato, Carla Chiappisi, Lorenzo Cogo, Lorenzo Dalla Libera, Matteo Di Nardo, Vittorio Fanelli, Andrea Favaretto, Sonia Gaetani, Cristiano Izzo, Roberto Lerco, Alessandro Mazzoleni, Francesco Mezzavilla, Andrea Mosele, Alessandro Nardotto, Aronne Paganì, Michele Pegorer, Davide Pettenò, Giulio Piras, Luigi Piva, Fabrizio Reginato, Franco Rizzolli, Fabio Sabbadin, Paolo Salvador, Alessandro Sartori, Luca Sattin, Francesco Scarton, Arno Schneider, Cesare Sent, Giacomo Sgorlon, Giacomo Sighele, Maurizio Sighele, Giancarlo Silveri, Emanuele Stival, Giuseppe Tormen, Danilo Trombin, Mauro Varaschin, Emiliano Verza, Corrado Zanini

Thanks to all those who contributed to the MITO2000 project 2000-2008:



MITO2000 Board:

Lorenzo Fornasari – chair (FaunaViva); Mattia Brambilla (CISO); Claudio Celada – vicechair (Lipu); Guido Tellini Florenzano – vicechair (D.R.E.Am. Italia); Elisabetta de Carli – vicechair, Sergio Fasano, Giuseppe La Gioia, Riccardo Santolini, Alberto Sorace (Coordinatori regionali)

Technical team: Paolo Bonazzi, Gianpiero Calvi, Elisabetta de Carli (FaunaViva); Tommaso Campedelli, Simonetta Cutini, Guglielmo Londi, Guido Tellini Florenzano – chair (D.R.E.Am. Italia); Claudio Celada (Lipu)

Organization secretary: Lia Buoli – chair (FaunaViva); Simonetta Cutini (D.R.E.Am. Italia); Laura Silva (Lipu)

Validation team: Paolo Bonazzi (FaunaViva); Simonetta Cutini, Guido Tellini Florenzano – chair (D.R.E.Am. Italia)

National Financial supporters:

2000 – Ministero dell'Ambiente e della Tutela del Territorio e del Mare

Local financial supporters, regional coordinators and counters for MITO2000 project 2000-2008 (in alphabetical order):

ABRUZZO **Coordinator:** Mauro Bernoni (2000-2008)

Counters: A. Antonucci, C. Artese, M. Bernoni, M. Carafa, M. Cirillo,

E. Cordiner, V. Dundee, G. Guerrieri, G. Lalli, M. Liberatore, M. Miglio, A. Monaco, M. Pellegrini, P. Plini, B. Santucci, E. Strinella

BASILICATA

Coordinator: Giovanni Palumbo (2000), Ass. FaunaViva (2001-2004), Egidio Fulco (2005-2008)

Counters: M. Bernoni, P. Bonazzi, S. Brambilla, F. Canonico, E. Fulco, G. Miapane, G. Palumbo

PROVINCIA DI BOLZANO

Coordinator: Oskar Niederfringer (2000-2008)

Counters: O. Danay, E. Gasser, E. Girardi, J. Hackhofer, L. Hilpold, R. Hitthaler, C. Kofler, A. Leitner, M. Moling, M. Moling, O. Niederfringer, K. Niederkofler, M. Obletter, P. Pedrini, J. Riegel, A. Rinner, U. Thoma, L. Unterholzner, G. Volcan, J. Waschgler, T. Wilhelm, J. Winkler

Financial supporter: 2000-2008 Arbeitsgemeinschaft für Vogelkunde und Vogelschutz - Südtirol

CALABRIA

Coordinator: Toni Mingozzi e Francesco Sottile (2000), Ass. FaunaViva (2001-2008)

Counters: P. Bulzoni, G. Camelliti, S. De Bonis, R. Facoetti, M. Kalby, A. Mancuso, G. Marzano, M. Sacchi, N. Sills, F. Sottile, P. Storino, S. Urso, M. Walters

CAMPANIA

Coordinator: Giancarlo Moschetti (Province CE, BN: 2000-2001), Mario Milone (Province NA, AV, SA: 2000-2002) e Maria Filomena Caliendo (2000-2008)

Counters: R. Balestrieri, M. Bruschini, M.F. Caliendo, C. Campolongo, F. Canonico, F. Carpino, P. Conti, G. De Filippo, F. Finamore, M. Fraissinet, D. Fulgione, L. Fusco, M. Giannotti, R. Guglielmi, S. Guglielmi, O. Janni, M. Kalby, C. Mancuso, E. Manganiello, D. Mastronardi, M. Milone, G. Moschetti, S. Piciocchi, D. Ripa, C.E. Rusch, S. Sceba, A. Vitolo, M. Walters

EMILIA-ROMAGNA

Coordinator: Stefano Gellini e Pierpaolo Ceccarelli (St.E.R.N. A) (2000-2008)

Counters: F. Aceto, M. Allegri, A. Ambrogio, G. Arveda, L. Bagni, M. Bonora, L. Bontardelli, F. Cacciato, M. Casadei, L. Casini, P.P. Ceccarelli, C. Ciani, I. Corsi, M. Costa, M.E. Ferrari, M. Finozzi, M. Gustin, L. Melega, M. Salvarani, G. Sardella, G. Tellini Florenzano, S. Volponi, F. Zanichelli

FRIULI-VENEZIA GIULIA

Coordinator: Roberto Parodi (2000-2008)

Counters: A. Borgo, S. Candotto, R. Castellani, M. De Luca, B. Dentesani, U. Fattori, F. Florit, F. Genero, G. Guzzon, K. Kravos, R. Parodi, R. Peressin, V. Simonitti, P.L. Taiariol, M. Toniutti, P. Tout, P. Utmar

Financial supporter: 2002-2008 Regione autonoma Friuli-Venezia Giulia, Direzione centrale risorse rurali, agroalimentari e forestali, Servizio caccia, risorse ittiche e biodiversità, Ufficio studi faunistici

LAZIO

Coordinator: Loris Pietrelli (2000), Massimo Brunelli, Stefano Sarrocco, Alberto Sorace (2000-2008)

Counters: C. Battisti, M. Belardi, M. Bernoni, M. Biondi, A. Boano, M. Brunelli, A. Castaldi, C. Catoni, M. Cento, F. Corbi, L. Corsetti, E. De Santis, F. Fraticelli, P. Fusacchia, G. Guerrieri, L. Ianniello, G. Landucci, M. Liberatore, E. Lorenzetti, M. Melletti, A. Meschini, M. Miglio, A. Montemaggiore, R. Papi, L. Pietrelli, F. Pinos, P. Plini, S. Roma, M. Rossetti, F. Rossi, M. Sacchi, B. Santucci, S. Sarrocco, E. Savo, S. Sciré, A. Sorace, D. Taffon, C. Teofili, M. Trotta

Financial supporter: 2006-2008 Agenzia Regionale Parchi del Lazio - Regione Lazio

LIGURIA

Coordinator: Luca Baghino (2000-2006), Ass. FaunaViva (2007), Sergio Fasano (2008)

Counters: G. Accinelli, C. Aristarchi, L. Baghino, S. Brambilla, M. Campora, P. Canepa, R. Cottalasso, S. Fasano, C. Figoni, L. Fornasari, L. Galli, C. Galuppo, M. Giorgini, N. Maranini, M. Oliveri, M. Ottonello, C. Peluffo, S. Spanò, R. Toffoli, R. Valforto, A. Verner

Financial supporter: 2008 Regione Liguria, Dipartimento Ambiente, Servizio Parchi, Aree protette e Biodiversità; coordinamento: Ente Parco del Beigua

LOMBARDIA

Coordinator: Ass. FaunaViva (2000-2008)

Counters: G. Agostani, M. Allegri, F. Baccalini, L. Bani, R. Barezzi, E. Bassi, G. Bazzi, M. Belardi, R. Bertoli, M. Biasioli, P. Bonazzi, M. Bonetti, L. Bontardelli, P. Bonvicini, S. Brambilla, R. Brembilla, M. Caffi, E. Cairo, G. Calvi, M. Canziani, S. Capelli, F. Cecere, F. Ceresa, S. Colaone, P. Cucchi, R. Facoetti, F. Farina, M. Favaron, A. Ferri, I. Festari, L. Fornasari, A. Galimberti, A. Gargioni, G. Gottardi, N. Grattini, W. Guenzani, M. Guerrini, R. Leo, R. Lerco, D. Longhi, L. Longo, G. Lucia, L. Maffezzoli, S. Mantovani, L. Marchesi, M. Marconi, C. Martignoni, A. Micheli, S. Milesi, C. Movalli, A. Nevala, M. Nova, F. Ornaghi, F. Orsenigo, E. Perani, V. Perin, G. Piotti, S. Ravara, G. Redaelli, S. Riva, A. Rossi, C. Rovelli, D. Rubolini, M. Sacchi, R. Sacchi, C. Sbravati, C. Scandola, M. Sighele, J. Tonetti, M. Valota, A. Viganò

Financial supporter: 2001-2008 Regione Lombardia - D.G. Agricoltura

MARCHE

Coordinator: Paolo Perna (2000), Riccardo Santolini (2001-2008)

Counters: J. Angelini, S. Brambilla, E. Cordiner, N. Felicetti, M.E. Ferrari, A. Ferri, D. Fiacchini, M. Furlani, G. Pasini, P. Perna, M. Sacchi, A. Sorace, N. Tonolini

MOLISE

Coordinator: Massimo Pellegrini (2000), Lorenzo De Lisio (2001-2008)

Counters: F. Aceto, P. Brichetti, A. Corso, L. De Lisio, M. Pellegrini

PIEMONTE

Coordinator: Giovanni Boano (2000-2001), Roberto Toffoli (2002-2008)

Counters: G. Aimassi, P. Alberti, P. Beraudo, R. Bionda, G. Boano, L. Bordignon, A. Boto, F. Carpegna, G. Cattaneo, B. Caula, S. Fasano, M. Favaron, A. Ferri, L. Fornasari, G. Gertosio, L. Giraud, P. Grimaldi, P. Marotto, C. Movalli, M. Pavia, C. Pulcher, D. Reteuna, G. Roux Poignant, D. Rubolini, R. Toffoli, S. Tozzi

Financial supporter: 2001-2004 Regione Piemonte, Settore Pianificazione Aree Protette, Parco Naturale Alpi Marittime. 2007-2008 Regione Piemonte, Assessorato Agricoltura, Istituto Piante da Legno e Ambiente IPLA

PUGLIA

Coordinator: Antonio Sigismondi (2000), Giuseppe La Gioia (Ass. Or.Me) (2001-2008)

Counters: G. Albanese, M. Bux, M. Caldarella, T. Capodiferro, G. Capone, G. Chiatante, P. Chiatante, A. Corso, V. Giacoia, G. Giglio, M. Gioiosa, G. La Gioia, M. Laterza, C. Luzzi, G. Marzano, G. Nuovo, V. Rizzi, A. Sigismondi, S. Todisco

SARDEGNA

Coordinator: Sergio Nissardi e Danilo Pisu (2000-2008), Ass. FaunaViva (2004)

Counters: M. Aresu, N. Baccetti, L. Bassu, P. Cosa, C. Fiesoli, A. Fozzi, C. Fresi, A. Locci, N. Marras, P.F. Murgia, S. Nissardi, D. Pisu, H. Schenk, G. Spano, J. Tonetti, M. Zenatello, C. Zucca

Financial supporter: 2001 Regione Autonoma della Sardegna. Assessorato della Difesa dell'Ambiente

SICILIA

Coordinator: Renzo Ientile (2001-2004), Ass. FaunaViva (2000, 2005-2008)

Counters: P. Bonazzi, E. Canale, A. Corso, L. Fornasari, R. Hewins, R. Ientile, G. Leonardi, F. Lo Valvo, M. Lo Valvo, G. Marzano, M. Sacchi, M. Siracusa

TOSCANA

Coordinator: Guido Tellini Florenzano (COT) (2000-2002), Luca Puglisi (COT) (2003-2008), Guido Tellini Florenzano (D.R.E.A.M. Italia) (2006-2008)

Counters: E. Arcamone, N. Baccetti, G. Battaglia, M. Bonora, T. Campedelli, A. Chiti-Batelli, L. Colligiani, I. Corsi, B. Cursano, S. Cutini, L. Favilli, A. Fontanelli, A. Gaggi, P. Giovacchini, M. Giunti, G. Guerrieri, G. Lodi, E. Meschini, L. Mini, D. Occhiato, F. Pezzo, S. Piazzini, L. Puglisi, A. Sacchetti, M. Sacchi, M. Salvarani, R. Savio, P. Sposimo, G. Tellini Florenzano, M. Valtriani, L. Vanni, U. Veken, F. Velatta, A. Vezzani

Financial supporter: 2000-2008 Regione Toscana, Direzione Generale dello Sviluppo Economico, Settore Politiche agroambientali, attività faunistica-venatoria e pesca dilettantistica. Beneficiario COT

PROVINCIA DI TRENTO

Coordinator: Paolo Pedrini (Museo Tridentino di Scienze naturali, Zoologia dei vertebrati) (2000-2008)

Counters: V. Cavallaro, F. Ceresa, P. Laimer, L. Marchesi, A. Micheli, O. Negra, O. Niederfringer, S. Noselli, M. Obletter, P. Pedrini, D. Prevedel, F. Rizzoli, F. Rossi, M. Segata, F. Torben Bach, G. Volcan

Financial supporter: 2000-2008 Museo Tridentino di Scienze naturali, Sezione Zoologia dei Vertebrati: Progetto BIODIVERSITÀ (Fondo per la Ricerca - PAT 2001-2005); Provincia Autonoma di Trento: Dipartimento Ambiente, Territorio e Foreste, Servizio Conservazione della Natura - Ufficio Rete Natura 2000

UMBRIA

Coordinator: Giuseppina Lombardi e Francesco Velatta (Osservatorio Faunistico Regionale) (2000-2008)

Counters: R. Casalini, E. Cordiner, L. Cucchia, E. Fulco, A. Gaggi, D. Iavicoli, S. Laurenti, S. Marini, A. Masci, A. Meschini, M. Montefameglio, A.M. Paci, R. Papi, F. Renzini, F. Velatta

Financial supporter: 2000-2008 Osservatorio Faunistico Regione Umbria

VALLE D'AOSTA

Coordinator: Massimo Bocca (2000-2001), Ass. FaunaViva (2004-2006), Roberto Toffoli (2007-2008)

Counters: M. Bocca, P. Bonazzi, G. Bosio, G. Cattaneo, D. De Siena, A. Ferri, M. Grosa, G. Maffei, M. Nicolino, L. Ramires, L. Ruggieri

VENETO

Coordinator: Mauro Bon (2000-2008), Maurizio Sighele (Provincia VR: 2003-2008)

Counters: M. Baldin, K. Bettiol, R. Bonato, M. Bonetti, F. Borgo, L. Boscain, E. Boschetti, S. Bottazzo, M. Bovo, R. Cappellaro, L. Carlotta, M. Cassol, E. Cerato, F. Ceresa, L. Cogo, A. Costa, A. De Faveri, V. Dini, I. Farronato, M. Fioretto, L. Fornasari, G. Fracasso, S. Lombardo, L. Longo, G. Martignago, C. Martignoni, F. Mezzavilla, A. Nardo, S. Noselli, M. Paganin, L. Panzarin, P. Parricelli, R. Peressin, M. Pesente, G. Piras, L. Piva, F. Rizzoli, F. Rossi, G. Sgorlon, M. Sighele, G. Tiloca, R. Ton, A. Tonelli, G. Tormen, S. Valente, E. Verza, G. Volcan, M. Zenatello

Financial supporter: 2001-2008 Ass. Faunisti Veneti (ASFV)



Regione Umbria



AVK



“Birds are among the most accessible indicators of the state of our environment. They are also among the most pleasant.”

Roger Tory Peterson

These publications are dedicated to all the women and men who have contributed to the project over the years. They are especially dedicated to those who have passed away.