

Common farmland birds in Italy

Update of population trends and Farmland Bird Indicator
for the National Rural Network



These publications are dedicated to Paolo Boldreghini, Mario Bonora, Sergio Frugis, Gaspare Guerrieri, Stefano Piciocchi, Helmar Schenk e Giuseppe Tormen



Document produced by the Ministry of agriculture, food sovereignty and forestry (Ministero dell'agricoltura, della sovranità alimentare e delle foreste) as part of the activities of the National Rural Network (Rete Rurale Nazionale).

Editorial coordination

Federica Luoni, Roberta Righini e Matteo Fontanella (Lipu)

Texts

Federica Luoni, Roberta Righini e Matteo Fontanella (Lipu)

Translators

Federica Luoni, Roberta Righini e Matteo Fontanella (Lipu)

Thanks also

Paolo Ammassari, Simona Angelini, Giuseppe Blasi, Salvatore Viscardi (Masaf); Giovanni Albarella, Claudio Celada, Marco Dinetti, Giorgia Gaibani, Antonio Gardelli, Marco Gustin, Miranda Lupo, Silvia Maselli, Andrea Mazza, Sara Orlandi, Boris Pesci, Danilo Selvaggi e Laura Silva (Lipu); Mattia Brambilla (Università degli studi di Milano); Tommaso Campedelli, Simonetta Cutini, Guglielmo Londi (soc. D.R.E.Am. Italia); Paolo Bonazzi, Lia Buvoli (studio FaunaViva); Gianpiero Calvi (studio Pteryx).

From Lipu, thanks to all the authors of the beautiful pictures that enrich this brochure and which were taken according to an idea of photography inspired by ethics, respect for nature and full responsibility of the photographer towards the subjects represented.

Recommended citation

Rete Rurale Nazionale & Lipu (2024). Common breeding farmland birds in Italy. Update of population trends and Farmland Bird Indicator for National Rural Network 2000-2024.

The English and Italian versions of this brochure, with the technical reports in Italian, can be downloaded from:

www.reterurale.it/flex/cm/pages/ServeBLOB.php/L/IT/IDPagina/25243

Related web sites

www.lipu.it | www.ebcc.info

Design and layout

Andrea Ascenso

Cover photo

Red-backed Shrike by Luca Villa



The Farmland Bird Index

Birds have been identified as an effective bio-indicator species due to their sensitivity to environmental changes, their easy contactability and their suitability for large-scale habitat monitoring. Considering these distinctive characteristics, the European Commission has designated the Farmland Bird Index as a context indicator within the Common Agricultural Policy (C36 in the 2023-2027 programming period, formerly C35 in the previous programming period), with the objective of assessing the efficacy of implemented actions and the condition of these habitats.

Since 2009, Lipu has been commissioned by the Ministry of Agriculture, Food Sovereignty and Forestry (MASAF, formerly Mipaaf) to calculate the FBI indicator as part of the **Farmland Bird Index (FBI)** project, linked to a previous census project named MITO2000 (Monitoraggio Italiano Ornitologico). This project commenced in 2000 on a voluntary basis and utilized the same standard data collection protocol. In addition to the FBI indicator, for which **28 target species** strongly linked to agricultural environments are considered, a second indicator for montane grasslands is also calculated. This second indicator considers **13** species typical of montane grasslands and it is indicated as FBI_{pm}.

In 2024, the project reached its 25th year of activity, marking a significant achievement in its field. The project's unique status is characterized by two features: its duration and the breadth of its census area, confirming year after year its ability to provide robust data.

In 2024 the Farmland Bird Index (FBI) and the montane grassland index (FBI_{pm}) reached a value of 67.39 and 65.40 respectively (considering 100 as the initial value in the year 2000). The overall trend thus remains in decline, although the 2024 FBI value is slightly higher than that of 2023 (63.40; please note that the values of the entire historical series are recalculated annually on the basis of the updated database). On the other hand, a clear decline was recorded for the FBI_{pm}, which fell by almost eight percentage points from 73.34 in 2023. Among the 28 typical farmland bird species (FBI), more than 70% of them have recorded a significant decline in their population indices, in particular Eurasian Wryneck (-76.14%), European Stonechat (-71.06%), Tawny Pipit (-70.26%) and Eurasian Tree Sparrow (-65.62%) are the most affected by this decline. On the other hand, as far as the montane grassland species (FBI_{pm})

are concerned, 6 are declining, 6 are stable and the number of increasing species (Black Redstart) has been reduced to just one. In terms of species trends, those that are less demanding from an environmental point of view, defined as 'generalists' that are likely to be less affected by anthropization and agricultural intensification, and thus result to be stable or increasing. On the other hand, 'specialist' species, due to their closer linked to specific environmental typologies¹⁻³, are suffering more from the degradation of the landscape. Furthermore, a decline has been observed in many common species, which play a key role in providing ecosystem services and supporting numerous ecological processes. The more species and individuals there are, the more effective the ecosystem services they provide, and the greater the resulting well-being. It is therefore imperative to adopt conservation measures and actions for these bird species to ensure the preservation of both their and our well-being.

25 years (2000 - 2024)

- 556 counters
- 1.903.641 bird records
- 1.773 squares (10x10 km)
- 177.472 listening points (1x1km)

2024


- 151 counters
- 106.071 bird records
- 651 squares (10x10 km)
- 9.601 listening points (1x1km)



National population trends provide a general overview of the situation in the country. However, calculating indices for bird zones also allows us to examine what is happening on a smaller scale, i.e. in very different homogeneous environmental situations (e.g. plains and mountains), which would not emerge with the analysis on a national scale alone. For each species, the trend within each ornithological zone was calculated, and subsequently, the FBI for that ornithological zone. It is extremely worrying that the impoverishment and degradation of the habitats of these target species is having a negative impact on both the lowland areas (-49.32%) and the Prealps and Apennines (-36.40%), as well as the hill areas (-37.23%), confirming how the simplification of

farmland habitats and the massive use of chemicals has spread to a large part of the national territory. The data from the two-year period 2023-2024 also raise alarm bells about the effect climate change has on biodiversity the 2023 values in Mediterranean areas were particularly low probably also due to a rather dry season, a phenomenon that climate models predict as increasingly frequent.

In conclusion, it is imperative that urgent action is taken to reverse the ongoing trends, as outlined in the European Biodiversity Strategy 2030. It is evident that only through systemic action, consisting of changing the current model of agricultural and food policies, will it be possible to halt the loss of biodiversity.



¹ Devictor V., Julliard R., Clavel J., Jiguet F., Lee A. & Couvet D. 2008. Functional biotic homogenization of bird communities in disturbed landscapes. *Glob. Ecol. Biogeogr.* 17: 252-261.

² Filippi-Codaccioni O., Devictor V., Bas Y. & Julliard R. 2010. Toward more concern for specialisation and less for species diversity in conserving farmland biodiversity. *Biol. Conserv.*, 143, 1493-1500.

³ Le Viol I., Jiguet F., Brotons L., Lindstrom S.H.A., Pearce-Higgins J.W.,

Reif J., et al. 2012. More and more generalists: two decades of changes in the European avifauna. *Biol. Lett.* 8, 780-782.

⁴ Lodi G., Tellini Florenzano G., Campedelli T. & Fornasari L. 2010. An ornithological zonation of Italy. In: Bird Numbers 2010 "Monitoring, indicators and targets". *Book of abstracts of the 18th Conference of the European Bird Census Council* (ed. Bermejo, A.). EBCC-SEO Birdlife, Madrid, Pp.77.


EBCC role and the monitoring of bird populations at European level

The European Bird Census Council (EBCC) is a pan-European non-profit organisation dedicated to the monitoring and conservation of wild birds. Founded in the 1990s, it represents a network of experts, researchers and birdwatchers from all over Europe. The EBCC's primary objective is to collect reliable scientific data on the status and trends of bird populations, which are indispensable for both scientific projects and the development of environmental policies and conservation plans¹. The EBCC coordinates two major projects on a large temporal and spatial scale, which are crucial for understanding bird population dynamics: the European Breeding Bird Atlas (EBBA) and the Pan-European Common Bird Monitoring Scheme (PECBMS). The European Breeding Bird Atlas (EBBA) is regarded as one of the most ambitious endeavours in the realm of biodiversity mapping. The EBBA's primary objective is to comprehensively document the distribution and abundance of all bird species across the European continent. The first European Breeding Bird Atlas (EBBA1), the data collection of which commenced in the 1980s, was published in 1997, marking a significant milestone in the field of European ornithology and providing a foundational resource for conservation efforts. However, due to the sudden and significant changes in the landscape and climate on the continent, it became necessary to update these data slightly more than a decade later. A second atlas project, EBBA2, once again under the coordination of the EBCC, was initiated in 2010 and was published in 2020². The Pan-European Common Bird Monitoring Scheme (PECBMS) is a transnational project that was initiated in 2002 with the goal of utilising common birds as indicators of the overall condition of ecosystems, by comparing changes in space and time in Europe's breeding populations. Birds are regarded as 'ecological sentinels' due to their strong bond with the characteristics of their environment and their position in

food chains, usually at the top. This means that fluctuations in their population sizes are an indicator of changes in their habitats. The objective of the project is to collate monitoring data from all participating nations to generate comprehensive data on common bird species across Europe. This data is then integrated into a unified database, facilitating the production of indices and indicators of common birds also at the European level. The database is designed to be accessible to the scientific community, national and European policy-makers, and the general public interested in biodiversity conservation. The data collected in Italy in the Farmland Bird Index project are submitted on an annual basis by the national coordinators to the European database, from which the European Environment Agency (EEA) draws for reports and monitoring purposes. The calculation of the European common bird indicator (that is the European equivalent of the Italian Farmland Bird Index) is based on the populations of 39 species that are particularly dependent on the agricultural environment for both nesting and feeding, with rare species excluded from consideration. From this list, each country, as a baseline, selects the species for its national index³. The population indices are first calculated separately for each species on a national scale, thereby generating a national population index per species. Subsequently, to calculate the EU aggregate, the national species indices are combined into supranational indices. The process of combining the national indices into supranational indices involves the assignment of a weight to each national index, based on estimates of national population sizes. This weighting is intended to reflect the varying proportions of the European population of each species in each country. The resulting supranational indices for each species are then combined geometrically to obtain an aggregated multi-species European-wide index that represents the population trends of multiple species on a European scale. As with the Ita-

lian Farmland Bird Index, the European index is also expressed with respect to a base year, which in this case it is fixed to 1990 (although additional historical information dating back to the 1980s can be found on the EBCC website). The value of this year represents 100%, and the overall changes in populations are shown as trends over different periods. Concurrently with the index of common farmland birds, two additional complementary indices have been developed to provide a more comprehensive overview: the index of all common birds (for which 168 species are considered) and the index of common forest birds (a total of 34 species). Further details on the methodology, species considered and reference data can be found on the EBCC website¹. An analysis of the data collected from the 26 EU Member States demonstrates a strong decline in the indices between 1990 and 2022. The decline is not evenly distributed across different species groups; it is particularly pronounced for species typical of agricultural environments, which show a 40% reduction and are in decline in almost all countries on the continent (with the exception of a few countries in Eastern Europe for which data are only available from a more recent time period), while the indicator for all common birds and common forest birds show smaller decreases of close to 14% and 3%, respectively (Figure 1). It is important to note, however, that these analyses set 1990 as the base year. It is reasonable to assume that significant decreases had already occurred even before that date⁴. The most evident pressure factors, which are predominantly of anthropogenic origin, are as

follows: agricultural intensification, changes in forest cover, urbanisation and changing temperatures in recent decades. However, on a European scale, there is significant heterogeneity between countries in the intensity and type of potential factors influencing bird population trends. For instance, the impact of agricultural intensification (in particular the negative impact of pesticide and fertiliser use) and urbanisation are more significant in Western European countries than in Eastern Europe (which until the beginning of the 21st century practised less intensive agriculture), just as temperature changes are more rapid in high-latitude regions. The predominant impact of agriculture on biodiversity is evidenced by the alterations in the abundance and trends of bird species in Central and Eastern European countries, which have undergone a precipitous decline since their accession to the European Union and the Common Agricultural Policy. A scientific study published in 2024⁵, draws the attention to the dramatic reality that, despite the great efforts of environmental legislation to develop and implement policies to protect biodiversity, the impacts of agricultural intensification (due to the availability of new European funds) have probably outweighed the possible benefits of conservation measures. However, it is noteworthy that for species covered by the Birds Directive, for which ad hoc actions have been implemented, population trends have been favourable, with increases being observed even in the newer member states. These findings suggest that supranational policy instruments can yield tangible conservation benefits.



¹ EBCC: www.ebcc.info

² EBBA: <https://ebba2.info>

³ PECBMS: <https://pecbms.info>

⁴ Agenzia Europea dell'Ambiente: <https://www.eea.europa.eu/en/analysis/indicators/common-bird-index-in-europe>

⁵ Reif J., Gamero A., Hološkova A., Aunins A., Chodkiewicz T.,

Hristov I., ... & Voríšek, P. 2024. Accelerated farmland bird population declines in European countries after their recent EU accession. *Science of The Total Environment*, 946, 174281.

⁶ Sanderson Fiona J., et al. 2016. "Assessing the performance of EU nature legislation in protecting target bird species in an era of climate change." *Conservation Letters* 9.3: 172-180.

Population trend between 2000 and 2024

The table on the following page shows population trends of common birds in Italy between 2000 and 2024; these are the species used to calculate the Farmland Bird Index (FBI) and the Index of montane grasslands birds (FBI_{pm}), at the national level.

Species name (common name) and the **Scientific name** are given in the first two columns. In order to make the information contained in the table more legible and accessible, the species are listed alphabetically by common name and not in taxonomic order.

Average annual variation $\pm$ SE (%) represents the average percentage change per year with its standard error (SE). The standard error is a measure of the inaccuracy of the index, and thus is a proxy for its reliability, over the entire monitoring period.

Trend classification 2000-2024 describes, with the use of arrows and colours, population trends classified as follows (definitions recommended by EBCC):

- **strong increase** ▲▲ a trend slope of >1.05 (an increase of more than 5% per year), with the lower confidence limit of the slope >1.05 ;
- **moderate increase** ▲ a trend slope between 1.00 and ≤ 1.05 (an increase of no more than 5% per year), with the lower confidence limit of the slope between 1.00 and 1.05;
- **stable** ● a trend slope where the confidence intervals overlap 1 (no significant change), with the lower confidence limit of change >0.95 and upper confidence limit of change <1.05 ;
- **moderate decline** ▼ a trend slope of ≥ 0.95 and 1.00 (a decline of no more than 5% per year), with the upper confidence limit of the slope between 0.95 and 1.00;

- **steep decline** ▼▼ a trend slope of <0.95 (a decline of more than 5% per year), with the upper confidence limit of the slope <0.95 ; A low number of individuals recorded and/or a high standard error can make these trends non-significant. Should this happen, the population is prudentially categorized in the lower category for positive trends (*moderate increase instead of strong increase, stable instead of moderate increase*) or in the higher one for negative trends (*moderate decline instead of steep decline, stable instead of moderate decline*).
- **incerto** ? a trend slope where the confidence intervals overlap 1 (no significant change), with the lower confidence limit of change <0.95 and/or the upper confidence limit of change >1.05 .

The **Squares** column reports the number of 10x10 km squares from which data was used to calculate trends for each species, namely the number of squares visited at least twice in 2000-2024 in which the species in question was recorded. This makes it possible to compare sample size between species. A total of 1,773 10x10 km squares were used for the analyses.

The **Indicator** column divides bird species on the basis of their habitat preferences at the national scale:

- birds of farmland habitats whose population trends are used to calculate the **Farmland Bird Index (FBI)**,
- species used to calculate the **Index of montane grasslands birds (FBI_{pm})**.

In order to provide as exhaustive a picture as possible, we also included additional information, drawn from other studies conducted both at the national and international level, on the species for which the project presents population trends.

The **Conservation status** column provides information on each species' conservation status as follows:

- **Favourable conservation status** ■ stable or expanding range and population, number of pairs and demographic parameters showing no signs of concern, habitat quality and extension are compatible with the species' long-term survival;
- **Inadequate conservation status** ■ the population or range has declined over the last 10 years (no more than 10%), or the population/range is highly concentrated/fragmented/fluctuating, or lower than the favourable reference va-

It should be emphasized that the changes that lead a population to be placed in the various categories described above are to be understood from a statistical point of view and not in absolute terms. In some cases it may be the case that, from one year to the next, a species is classified with a different trend; this is because, with the addition of an annuality of data, a trend that was already in place in previous years but not so obvious as to be statistically significant may become apparent. If the added data contain a number of observations of a species, it is possible that their use will result in a change in the classification of the population trend (e.g., from moderate increase to strong increase) but this does not necessarily translate into an actual increase in the population and it follows that it does not necessarily stand for the fact that a particular species is recovering and enjoying a favorable conservation status

lues, and/or the extent of their habitat appears to be insufficient with the species' long-term survival;

- **Poor conservation status** ■ the population or range has declined significantly, or have fallen by more than 10% in the last ten years, or the population is significantly lower than the favourable population reference values, and/or their habitat has been significantly degraded or reduced. For more information on the methodology used for defining the conservation status of Italian birds, see these publications ^{1,2}.

The **SPEC** column indicates the category assigned to each species according to the latest BirdLife International update. The categories assigned are:

- **SPEC 1** European species of global conservation concern;
- **SPEC 2** Species with global population concentrated in Europe and with unfavourable conservation status in Europe;
- **SPEC 3** Species not concentrated in Europe, but with unfavourable conservation status in Europe;
- **Non-SPEC^E** Species with global population concentrated in Europe and with favourable conservation status in Europe;
- **Non-SPEC** Species not concentrated in Europe, but with favourable conservation status in Europe. For more information on the classification, see the relevant BirdLife publication³.

¹ Brambilla M., Gustin M., Celada C., 2013. Species appeal predicts conservation status. Biol. Conserv. 160, 209-213.

² Gustin M., Brambilla M., Celada C., 2016. Stato di conservazione e valore di riferimento favorevole per le popolazioni di uccelli nidificanti in Italia. Rivista Italiana di Ornitologia, 86 (2), 3-58.

³ Burfield I.J., Rutheford C.A., Fernando E., Grice H., Piggott A., Martin R.W., Balman M., Evans M.I. & Staneva A. 2023. Birds in Europe 4: species of European Concern. Bird Conservation International.

Species name	Scientific name	Annual change ± SE (%)	Trend classification 2000-2024	Squares	Indicator	Conservation status	SPEC ¹
Barn Swallow	<i>Hirundo rustica</i>	-2.68 (±0.17)	▼	750	FBI	■	SPEC 3
Black Redstart	<i>Phoenicurus ochruros</i>	-3.97 (±0.22)	▼	831	FBI	■	Non-SPEC ^E
Calandra Lark	<i>Melanocorypha calandra</i>	-1.37 (±0.17)	▼	1093	FBI	■	Non-SPEC
Carriion Crow	<i>Corvus corone</i>	-5.34 (±0.75)	▼	105	FBI _{pm}	■	Non-SPEC ^E
Common Kestrel	<i>Falco tinnunculus</i>	0.20 (±0.65)	●	138	FBI _{pm}	■	Non-SPEC
Common Nightingale	<i>Luscinia megarhynchos</i>	-2.22 (±0.82)	▼	79	FBI	■	SPEC 3
Common Redpoll	<i>Acanthis flammea</i>	0.11 (±0.75)	●	146	FBI	■	SPEC 3
Common Starling	<i>Sturnus vulgaris</i>	-3.44 (±0.46)	▼	237	FBI	■	Non-SPEC
Corn Bunting	<i>Emberiza calandra</i>	-1.05 (±0.16)	▼	526	FBI	■	SPEC 3
Crested Lark	<i>Galerida cristata</i>	-2.87 (±0.10)	▼	1325	FBI	■	Non-SPEC
Dunnoek	<i>Prunella modularis</i>	-1.96 (±0.66)	▼	105	FBI _{pm}	■	Non-SPEC ^E
Eurasian Golden Oriole	<i>Oriolus oriolus</i>	1.47 (±0.23)	▲	597	FBI _{pm}	■	Non-SPEC
Eurasian Hoopoe	<i>Upupa epops</i>	0.32 (±0.09)	▲	1244	FBI	■	Non-SPEC
Eurasian Magpie	<i>Pica pica</i>	-0.08 (±0.42)	●	227	FBI _{pm}	■	Non-SPEC
Eurasian Skylark	<i>Alauda arvensis</i>	-0.71 (±0.38)	●	224	FBI _{pm}	■	Non-SPEC
Eurasian Tree Sparrow	<i>Passer montanus</i>	-1.42 (±0.24)	▼	333	FBI	■	SPEC 3
Eurasian Wryneck	<i>Jynx torquilla</i>	1.77 (±0.11)	▲	1072	FBI	■	Non-SPEC
European Goldfinch	<i>Carduelis carduelis</i>	-0.10 (±0.18)	●	1155	FBI	■	SPEC 3
European Greenfinch	<i>Chloris chloris</i>	-0.14 (±0.77)	●	101	FBI _{pm}	■	Non-SPEC ^E
European Serin	<i>Serinus serinus</i>	-5.55 (±0.70)	▼	91	FBI _{pm}	■	Non-SPEC
European Stonechat	<i>Saxicola rubicola</i>	-2.57 (±0.79)	▼	113	FBI	■	SPEC 2
European Turtle Dove	<i>Streptopelia turtur</i>	-2.97(±0.12)	▼	1153	FBI	■	SPEC 1
Fieldfare	<i>Turdus pilaris</i>	-2.95 (±0.18)	▼	1029	FBI	■	SPEC 3
Garden Warbler	<i>Sylvia borin</i>	-2.11 (±0.29)	▼	169	FBI	■	Non-SPEC
Greater Short-toed Lark	<i>Calandrella brachydactyla</i>	-0.25 (±0.41)	●	185	FBI _{pm}	■	SPEC 2
Hooded Crow	<i>Corvus cornix</i>	0.30 (±0.30)	●	299	FBI _{pm}	■	SPEC 3
Italian Sparrow	<i>Passer italiae</i>	1.84 (±0.16)	▲	893	FBI	■	Non-SPEC
Lesser Whitethroat	<i>Curruca curruca</i>	-1.82 (±0.13)	▼	1273	FBI	■	SPEC 3
Northern Wheatear	<i>Oenanthe oenanthe</i>	-5.81 (±0.19)	▼▼	941	FBI	■	Non-SPEC
Ortolan Bunting	<i>Emberiza hortulana</i>	-1.13 (±0.39)	▼	141	FBI _{pm}	■	SPEC 3
Red-backed Shrike	<i>Lanius collurio</i>	-1.36 (±0.64)	▼	121	FBI _{pm}	■	Non-SPEC ^E
Ring Ouzel	<i>Turdus torquatus</i>	-0.58 (±0.18)	▼	915	FBI	■	Non-SPEC
Spanish Sparrow	<i>Passer hispaniolensis</i>	3.61 (±0.48)	▲	150	FBI	■	Non-SPEC ^E
Spotless Starling	<i>Sturnus unicolor</i>	0.28 (±0.15)	●	846	FBI	■	Non-SPEC ^E
Tawny Pipit	<i>Anthus campestris</i>	-5.67 (±0.32)	▼▼	625	FBI	■	Non-SPEC
Tree Pipit	<i>Anthus trivialis</i>	-1.66 (±0.12)	▼	1035	FBI	■	SPEC 1
Water Pipit	<i>Anthus spinoletta</i>	-0.28 (±0.18)	●	890	FBI	■	Non-SPEC
Western Yellow Wagtail	<i>Motacilla flava</i>	-0.41 (±0.11)	▼	1051	FBI	■	Non-SPEC ^E
Whinchat	<i>Saxicola rubetra</i>	-3.40 (±0.12)	▼	1219	FBI	■	Non-SPEC ^E
White Wagtail	<i>Motacilla alba</i>	-0.97 (±0.10)	▼	1276	FBI	■	Non-SPEC ^E
Yellowhammer	<i>Emberiza citrinella</i>	-2.92 (±0.42)	▼	230	FBI _{pm}	■	SPEC 2



For the nomenclature in the table and brochure texts, reference is made to the IOC world bird list <https://www.worldbirdnames.org/new/> in continuity with previous years' publications.

¹Burfield I.J., Rutheford C.A., Fernando E., Grice H., Piggott A., Martin R.W., Balman M., Evans M.I. & Staneva A. (2023). Birds in Europe 4: species of European Concern. Bird Conservation International.

Nature Restoration Law: an opportunity for all

Food production is considered to be one of the most significant human activities in terms of its direct interaction with and influence on natural ecosystems. Indeed, agriculture is predicated on fundamental natural processes, including pollination and the formation of the soil. Consequently, agricultural practices can enhance or diminish the efficiency of these processes, thereby either reinforcing or compromising biodiversity, which underlies these very processes. Healthy and functioning ecosystems are therefore fundamental to food security, contributing significantly to the mitigation of and adaptation to climate change.

Nevertheless, the tendency exhibited by the Farmland Bird Index in this volume demonstrates an unstoppable degradation of biodiversity, as confirmed by data on a European scale¹, as well as by numerous scientific studies and reports. Notably, the European Environment Agency reports that two-thirds of the semi-natural habitats in the European Union depending on agricultural management that respects biodiversity are in a 'bad' conservation status². The ongoing degradation of European nature has significant consequences for the capacity of ecosystems to support agriculture. In many cases, the demand for ecosystem services required to ensure food security has exceeded supply⁴. In consideration of the aforementioned factors, and the recognition of the necessity for a clearly defined strategy to ensure the successful restoration of biodiversity, whilst concurrently achieving efficient and resilient food production in support of food security, the European Commission has initiated the establishment of a significant measure for the conservation of European nature: the Nature Restoration Law.



The regulation was approved following a long process and entered into force on 18 August 2024. It constitutes a component of the “New Green Deal”, a programme that the European Commission, under the leadership of Ursula Von der Leyen, promoted during the 2019-2024 legislative cycle to enact measures that would reverse the loss of biodiversity and counteract climate change.

The Nature Restoration Law consists of 28 articles, organised into six chapters, and a series of technical annexes for effective implementation. One of the core objectives of the law, as delineated in Article 4, is the identification of targets for the restoration of habitats that are not currently in good conservation status with time slots set for 2030, 2040 and 2050.

In this regard, it is important to underline that Annex I of the Habitats Directive enumerates 58 distinct habitat types, of which 23 are designated as ‘agricultural semi-natural’ due to their reliance on or association with extensive agricultural practices. Notably, more than a third of these (24) habitats are categorised as being entirely dependent on the preservation of suitable agricultural practices for their maintenance. Moreover, the regulation explicitly references the obligation to also act on the habitats of the species in the Annex if these are not in good conservation status.

The Nature Restoration Law does not, however, merely require the restoration of directive habitats or of species habitats but addresses the decline in biodiversity also in a diffuse sense. Indeed, the restoration of agro-ecosystems, which are fundamental for the preservation of many bird species but not only, is also referred to in Articles 10 and 11.

Article 10, in particular, obliges Member States to promptly implement effective and appropriate measures to improve the diversity of pollinators and reverse the decline in their populations by 2030. It is evident that these actions will also have to cover the use of plant protection products, as stated in paragraph 5.

Article 11, first deleted by the vote of the Parliament and then reinstated during the trialogue, specifically calls on the Member States to implement restoration actions necessary to enhance the biodiversity of agricultural ecosystems through the ‘implementation’ of agro-ecological practices, some of which are listed examples in Annex VII. These include the introduction of characteristic landscape elements exhibiting high diversity in arable land and grassland formations that have been extensively exploited, the reduction of the intensity of pastures or grassland mowing regimes, the restoration where necessary of extensive grazing with domestic animals and extensive mowing regimes, but also the abandonment or reduction in the use of chemical pesticides and of chemical and animal manure fertilisers, the adoption of polyculture and crop rotation crop rotation.

It is evident that the aforementioned actions can be regarded as efficacious solutions for enhancing biodiversity, whilst concomitantly contributing to climate mitigation, adaptation, and pollution reduction, provided that they are adapted to local or regional socio-ecological circumstances. For instance, the implementation of crop rotation has been demonstrated to augment soil fertility and enhance crop health, thereby reducing the reliance on fertilisers and pesticides. A plethora of studies have demonstrated the economic via-

bility and productivity-enhancing nature of these measures^{5, 6, 7}. This principle is not limited to agricultural habitats; rather, it extends to the entire restoration programme, which is essential for maintaining the wide-ranging ecosystem services provided by biodiversity, such as water quality and the mitigation of the effects of extreme weather events, a frequency of which is anticipated to increase in response to climate change. Indeed, studies by the European Commission have calculated that habitat restoration can generate a gain of ‘4 to 38 euros in economic value for every euro spent’. This proves that restoration is an innovative and profitable economic investment, both in the present and the future.

The Nature Restoration Law is a comprehensive legislative instrument that aims to quantify the enhancement of biodiversity, with significant emphasis placed on the establishment of objectives and their subsequent monitoring (Article 20). In relation to the agricultural environments addressed by Article 11, the regulation mandates that Member States ensure the augmentation of at least two of the three parameters identified: the Butterfly Index, the Carbon Stock in soils, and the

percentage of natural elements in the landscape. The Farmland Bird Index is identified as a key indicator within the context of agricultural environments, as outlined in Article 11(3). This provision stipulates that Member States shall endeavour to progressively enhance its value from 2025 (year 0) until 2050. The Nature Restoration Law places significant emphasis on the attainment of these targets and the subsequent monitoring of their progress (Article 20).

The responsibility for the implementation of the European regulation now lies with the individual Member States, including Italy. By September 2026, Italy will be required to prepare and submit a national implementation plan for the European regulation, which must be approved by the Commission. Although the time horizon appears to be distant at first glance, it is imperative to recognise that the timeframe for action is in fact quite limited. It is therefore essential to initiate action without delay if the ambitious targets set out in the regulation are to be met. Indeed, the urgent need to halt biodiversity loss and combat climate change is paramount if a prosperous future for our planet and its inhabitants is to be assured.

¹ EBCC, 2023 European common bird indicators 2023 update. European Bird Census Council, BirdLife International, Royal Society for the Protection of Birds, Czech Society for Ornithology (<https://pecbms.info/european-common-bird-indicators-2023-update/>).

² EEA, 2020 - State of nature in the EU: results from reporting under the nature directives 2013 2018., Publications Office, LU.

³ EC, 2020 - Mapping and assessment of ecosystems and their services: an EU wide ecosystem assessment in support of the EU biodiversity strategy, Publications Office of the European Union, Luxembourg (<https://data.europa.eu/doi/10.2760/757183>) accessed 9 June 2021.

⁴ La Notte A., et al., 2022 - ‘Linking accounts for ecosystem Services and Benefits to the Economy THrough bridging (LISBETH) Part II’, JRC Publications Repository (<https://publications.jrc.ec.europa.eu/repository/handle/JRC130438>).

⁵ Dainese et al. 2019 - A global synthesis reveals biodiversity-mediated benefits for crop production. *Sci. Adv.* 5 eaax0121.

⁶ Mouratiadou et al. 2024 - The socio-economic performance of agroecology. A review. *Agron. Sustain. Dev.* 44, 19. <https://doi.org/10.1007/s13593-024-00945-9>.

⁷ Klinkner et al. 2024 - Landscape features support natural pest control and farm income when pesticide application is reduced. *Nat Commun* 15, 5384. <https://doi.org/10.1038/s41467-024-48311-3>.

National financial supporters 2009-2024 - Italian Ministry of agriculture, food sovereignty and forestry (Ministero dell'agricoltura, della sovranità alimentare e delle foreste)

Local financial supporters, regional coordinators and counters for FBI project 2009-2024 (in alphabetical order):

ABRUZZO Coordinator: Mauro Bernoni (2009-2024)
Counters: Antonio Antonucci, Carlo Artese, Mauro Bernoni, Sante Cericola, Mirko Di Marzio, Mauro Fabrizio, Davide Ferretti, Giorgio Lalli, Marco Liberatore, Antonio Monaco, Lorenzo Petrizzelli, Eliseo Strinella

BASILICATA Coordinator: Egidio Fulco (2009-2024)
Counters: Tommaso Campedelli, Pietro Chiatante, Simonetta Cutini, Egidio Fulco, Cristiano Luzzi, Guglielmo Londi, Donato Lorubio, Fabio Mastropasqua, Simone Todisco

PROVINCIA DI BOLZANO Coordinator: Oskar Niederfriniger (2009-2011), Erich Gasser (2012-2015), Patrick Egger (2016-2024)
Counters: Paolo Bonazzi, Tommaso Campedelli, Tanja Dirlir, Patrick Egger, Alessandro Franzoi, Erich Gasser, Christian Kofler, Leo Hilpold, Andreas Lanthaler, Guglielmo Londi, Oskar Niederfriniger, Iacun Prugger, Arnold Rinner, Francesca Rossi, Udo Thoma, Leo Unterholzner
Financial supporter: 2009-2024 Arbeitsgemeinschaft für Vogelkunde und Vogelschutz – Südtirol

CALABRIA Coordinator: Francesco Sottile (2009-2024)
Counters: Rosario Balestrieri, Domenico Bevacqua, Paolo Bulzomi, Giuseppe Camelliti, Giovanni Capobianco, Gianluca Congi, Salvatore De Bonis, Manuel Marra, Giuseppe Martino, Eugenio Muscianese, Manuela Policastrese, Mario Pucci, Francesco Sottile, Pierpaolo Storino, Salvatore Urso, Maurizio Vena

CAMPANIA Coordinator: Rosario Balestrieri (2013-2018), Danila Mastronardi (2009-2024) e Giovanni Capobianco (2019-2024)
Counters: Rosario Balestrieri, Ilaria Cammarata, Camillo Campolongo, Silvia Capasso, Giovanni Capobianco, Vincenzo Cavaliere, Costantino D'Antonio, Davide De Rosa, Raffaele Di Biasi, Bruno Dovere, Elio Esse, Salvatore Ferraro, Alfredo Gaietiti, Marcello Giannotti, Silvana Grimaldi, Ottavio Janni, Mario Kalby, Arnaldo Iudici, Marilena Izzo, Claudio Mancuso, Danila Mastronardi, Alessandro Motta, Stefano Picciocchi, Andrea Senese, Filippo Tatino, Alessio Usai, Mark Walters, Davide Zeccolella
Financial supporter: Assessorato all'Agricoltura - Regione Campania (2012-2013-2017, 2024)

EMILIA-ROMAGNA Coordinator: Stefano Gellini e Pier Paolo Ceccarelli (S.T.E.R.N.A.) (2000-2024) e Marco Gustin (Lipu) (2011-2024)
Counters: Davide Alberti, Mattia Bacci, Luca Bagni, Simone Balbo, Mario Bonora, Fabrizio Borghesi, Francesco Cacciato, Maurizio Casadei, Lino Casini, Pier Paolo Ceccarelli, Carlo Ciani, Massimiliano Costa, Simonetta Cutini, Paolo Gallerani, Carlo Maria Giorgi, Marco Gustin, Giorgio Leoni, Guglielmo Londi, Massimo Sacchi, Maurizio Samorì, Fabio Simonazzi, Stefano Soavi, Cristiano Tarantino, Luigi Ziotiti
Financial supporter: Regione Emilia-Romagna D.G. Agricoltura, economia ittica, attività faunistico venatorie, Servizio Programmi, Monitoraggio e Valutazione (2011-2013)

FRIULI VENEZIA GIULIA Coordinator: Roberto Parodi (2009), Fabrizio Florit (Reg. aut. Friuli Venezia Giulia - Osservatorio biodiversità) (2010-2024)
Counters: Marco Baldin, Enrico Benussi, Alessandro Bertoli, Antonio Borgo, Silvano Candotto, Renato Castellani, Matteo De Luca, Bruno Dentesani, Fabrizio Florit (Reg. aut. Friuli Venezia Giulia, Osservatorio biodiversità), Gino Gobbo (Carabinieri forestali, Uff. terr. biodiversità di Tarvisio), Carlo Guzzon, Kajetan Kravos, Francesco Mezzavilla, Roberto Parodi, Michele Pegorer, Remo Peressin, Francesco Scarton, Valter Simonitti, Pier Luigi Taiariol, Matteo Toller (Reg. aut. Friuli Venezia Giulia, Serv. Foreste e Corpo forestale, St. for. di Tolmezzo), Michele Toniutti (Reg. aut. Friuli Venezia Giulia, Serv. Foreste e Corpo forestale, St. for. di Udine), Paul Tout, Marta Trombetta (Reg. aut. Friuli Venezia Giulia, Serv. Foreste e Corpo forestale), Paolo Utmar, Tarcisio Zorzenon (Reg. aut. Friuli Venezia Giulia, Serv. Foreste e Corpo forestale, St. for. di Duino-Aurisina)
Financial supporter: Regione autonoma Friuli Venezia Giulia, Direzione centrale infrastrutture e territorio, Servizio paesaggio e biodiversità, Ufficio studi faunistici (2010-2012)

LAZIO Coordinator: Alberto Sorace (Ass. Parus) (2009-2024)
Counters: Mauro Bernoni, Massimo Brunelli, Michele Cento, Ferdinando Corbi, Simonetta Cutini, Gaia De Luca, Emiliano De Santis, Marianna Di Santo, Luigi Ianniello, Daniele Iavicoli, Emanuela Lorenzetti, Mario Melletti, Angelo Meschini, Sergio Muratore, Roberto Papi, Loris Pietrelli, Stefano Sarrocco, Enzo Savo, Sara Sciré, Alberto Sorace, Daniele Taffon, Marco Trotta

LIGURIA Coordinator: Sergio Fasano (2009-2024)
Counters: Luca Baghino, Massimo Campora, Renato Cottalasso, Sergio Fasano, Roberto Toffoli, Rudy Valfiorito
Financial supporter: Regione Liguria, Dipartimento Ambiente, Servizio Parchi, Aree protette e Biodiversità (2009-2013), Ente Parco del Beigua (2014-2024)

LOMBARDIA Coordinator: Lia Buvoli (Ass. FaunaViva) (2009-2024)
Counters: Giuseppe Agostani, Davide Aldi, Gaia Bazzi, Mauro Belardi, Roberto Bertoli, Paolo Bonazzi, Sonia Braghiroli, Gianpiero Calvi, Stefania Capelli, Gianpasquale Chiatante, Giovanni Colombo, Simonetta Cutini, Felice Farina,

Massimo Favaron, Lorenzo Fornasari, Arturo Gargioni, Nunzio Grattini, Daniele Longhi, Giuseppe Lucia, Alessandro Mazzoleni, Alessandro Nessi, Mariella Nicastro, Mattia Panzeri, Alessandro Pavesi, Fabrizio Reginato, Cesare Rovelli, Massimo Sacchi, Jacopo Tonetti, Andrea Viganò, Severino Vitulano
Financial supporter: Regione Lombardia - D.G. Agricoltura (2009-2013)

MARCHE Coordinator: Riccardo Santolini e Fabio Pruscini (2009-2015), Paolo Perna (2016-2024)
Counters: Jacopo Angelini, Simonetta Cutini, Federico Fanesi, Nicola Felicetti, Fabrizio Franconi, Mauro Furlani, Maurizio Fusari, Pierfrancesco Gambelli, Paolo Giacchini, Guglielmo Londi, Giorgio Marini, Mauro Mencarelli, Federico Morelli, Niki Morganti, Francesca Morici, Mina Pascucci, Giovanni Pasini, Paolo Perna, Danilo Procaccini, Fabio Pruscini

MOLISE Coordinator: Lorenzo De Lisio (2009-2024)
Counters: Rosario Balestrieri, Giovanni Capobianco, Marco Carafa, Andrea Corso, Lorenzo De Lisio, Davide De Rosa, Marilena Del Romano, Giancarlo Fracasso

PIEMONTE Coordinator: Roberto Toffoli (2009-2024)
Counters: Riccardo Alba, Giacomo Assandri, Andrea Battisti, Giovanni Boano, Stefano Boccardi, Luca Borghesio, Enrico Caprio, Franco Carpegna, Daniela Casola, Stefano Costa, Dario Di Noia, Ivan Ellena, Sergio Fasano, Alessandro Ghiggi, Luca Giraudo, Davide Giuliano, Marco Pavia, Claudio Pulcher, Leonardo Siddi, Giovanni Soldato, Roberto Toffoli, Simone Tozzi
Financial supporter: Regione Piemonte, Assessorato Agricoltura, Istituto Piante da Legno e Ambiente IPLA (2009-2022)

PUGLIA Coordinator: Giuseppe La Gioia (Ass. Or.Me.) (2009-2024)
Counters: Giuseppe Albanese, Michele Bux, Tommaso Capodiferro, Tommaso Campedelli, Michele Cento, Pietro Chiatante, Vincenzo Cripezzi, Filippo D'Erasmo, Marco D'Errico, Egidio Fulco, Mirko Galuppi, Lorenzo Gaudiano, Vittorio Giacoia, Giuseppe Giglio, Anthony Green, Rocco Labadessa, Giuseppe La Gioia, Cristiano Liuzzi, Gaetano Luce, Manuel Marra, Fabio Mastropasqua, Massimo Notarangelo, Giuseppe Nuovo, Simone Todisco, Severino Vitulano, Fabrizio Zonno

SARDEGNA Coordinator: Sergio Nissardi e Danilo Pisu (2009-2024)
Counters: Jessica Atzori, Pasqualina Carta, Fabio Cherchi, Roberto Cogoni, Davide De Rosa, Ilaria Fozzi, Pier Francesco Murgia, Sergio Nissardi, Riccardo Paddeu, Stefania Piras, Danilo Pisu, Giampaolo Ruzzantè, Angelo Sanna, Carla Zucca

SICILIA Coordinator: Lipu (2009), Amelia Roccella (2010-2024)
Counters: Salvatore Bondi, Barbara Bottini, Emanuela Canale, Carlo Capuzzello, Michele Cento, Fabio Cilea, Giovanni Cumbo, Simonetta Cutini, Graziella Dell'Arte, Paolo Galasso, Egle Gambino, Gabriele Giacalone, Elena Grasso, Renzo Ientile, Giovanni Leonardi, Guglielmo Londi, Flavio Lo Scalzo, Maurizio Marchese, Amelia Roccella, Angelo Scuderi

TOSCANA Coordinator: Guido Tellini Florenzano (D.R.E.Am. Italia) (2009-2016), Simonetta Cutini (D.R.E.Am. Italia) (2017-2024), Luca Puglisi (COT) (2009-2024)
Counters: Emiliano Arcamone, Giancarlo Battaglia, Tommaso Campedelli, Alberto Chiti-Batelli, Iacopo Corsi, Barbara Cursano, Simonetta Cutini, Michele Giunti, Marco Lebboroni, Guglielmo Londi, Angelo Meschini, Ewa Oryl, Lorenzo Petrizzelli, Francesco Pezzo, Sandro Piazzini, Luca Puglisi, Davide Ridente, Alessandro Sacchetti, Roberto Savio, Guido Tellini Florenzano, Marco Valtriani, Lorenzo Vanni, Ursula Veken, Andrea Vezzani
Financial supporter: Regione Toscana, Direzione Generale dello Sviluppo Economico, Settore Politiche agroambientali, attività faunistica-venatoria e pesca dilettantistica. Beneficiario COT (2009-2013)

PROVINCIA DI TRENTO Coordinator: Paolo Pedrini (MUSE – Biologia della Conservazione, Zoologia dei vertebrati) (2009-2024)
Counters: Giacomo Assandri, Tommaso Campedelli, Alessandro Franzoi, Guglielmo Londi, Luigi Marchesi, Paolo Pedrini, Franco Rizzolli, Francesca Rossi, Michele Segata, Gilberto Volcan
Financial supporter: Museo delle Scienze di Trento, Provincia Autonoma di Trento: Dipartimento Agricoltura, PSR 2017-22; Accordo di Programma per la Ricerca PAT (2014)

UMBRIA Coordinator: Giuseppina Lombardi e Francesco Velatta (Osservatorio Faunistico Regionale) (2009-2023), Giuseppina Lombardi (Osservatorio Faunistico Regionale) (2024)

Counters: Enrico Cordiner, Laura Cucchia, Nicola Felicetti, Egidio Fulco, Angela Gaggi, Daniele Iavicoli, Sara Marini, Angelo Meschini, Monica Montefameglio, Mario Muzzatti, Andrea Maria Paci, Carmine Romano, Francesco Velatta, Martina Zambon
Financial supporter: Osservatorio Faunistico Regione Umbria (2009, 2011-2024)

VALLE D'AOSTA Coordinator: Roberto Toffoli (2009-2024)
Counters: Andrea Battisti, Stefano Boccardi, Franco Carpegna, Vittorio Fanelli, Sergio Fasano, Lorenzo Petrizzelli, Roberto Toffoli
Financial supporter: Servizio Aree protette, Assessorato Agricoltura e Risorse naturali, Regione autonoma Valle d'Aosta (2009-2011, 2013)

VENETO Coordinator: Francesco Mezzavilla (2009-2014), Andrea Favaretto (2015-2024), Maurizio Sighele (Provincia VR: 2009-2023), Giacomo Sighele (2024)
Counters: Marco Basso, Paolo Bertini, Katia Bettiol, Renato Bonato, Luca Boscain, Michele Cassol, Michele Cento, Elvio Cerato, Carla Chiappisi, Lorenzo

Cogo, Lorenzo Dalla Libera, Vittorio Fanelli, Andrea Favaretto, Sonia Gaetani, Cristiano Izzo, Roberto Lerco, Alessandro Mazzoleni, Francesco Mezzavilla, Andrea Mosele, Alessandro Nardotto, Aronne Pagani, Michele Pegorer, Davide Pettenò, Giulio Piras, Luigi Piva, Fabrizio Reginato, Franco Rizzolli, Fabio Sabbadin, Paolo Salvador, Alessandro Sartori, Luca Sattin, Francesco Scarton, Arno Schneider, Cesare Sent, Giacomo Sgorlon, Giacomo Sighele, Maurizio Sighele, Giancarlo Silveri, Emanuele Stival, Giuseppe Tormen, Danilo Trombin, Mauro Varaschin, Emiliano Verza, Corrado Zanini

Thanks to all those who contributed
to the MITO2000 project 2000-2008:



MITO2000 Board:
 Lorenzo Fornasari - chair (FaunaViva); Mattia Brambilla (CISO); Claudio Celada - vicechair (Lipu); Guido Tellini Florenzano - vicechair (D.R.E.Am. Italia); Elisabetta de Carli - vicechair, Sergio Fasano, Giuseppe La Gioia, Riccardo Santolini, Alberto Sorace (Coordinator regionali)
Technical team: Paolo Bonazzi, Gianpiero Calvi, Elisabetta de Carli (FaunaViva); Tommaso Campedelli, Simonetta Cutini, Guglielmo Londi, Guido Tellini Florenzano - chair (D.R.E.Am. Italia); Claudio Celada (Lipu)
Organization secretary: Lia Buvoli - chair (FaunaViva); Simonetta Cutini (D.R.E.Am. Italia); Laura Silva (Lipu)
Validation team: Paolo Bonazzi (FaunaViva); Simonetta Cutini, Guido Tellini Florenzano - chair (D.R.E.Am. Italia)

National financial supporters:
 Anno 2000 – Ministero dell'Ambiente e della Tutela del Territorio e del Mare

Local financial supporters, regional coordinators and counters for MITO2000 project 2000-2008 (in alphabetical order):

ABRUZZO Coordinator: Mauro Bernoni (2000-2008)
Counters: A. Antonucci, C. Artese, M. Bernoni, M. Carafa, M. Cirillo, E. Cordiner, V. Dundee, G. Guerrieri, G. Lalli, M. Liberatore, M. Miglio, A. Monaco, M. Pellegrini, P. Plini, B. Santucci, E. Strinella

BASILICATA Coordinator: Giovanni Palumbo (2000), Ass. FaunaViva (2001-2004), Egidio Fulco (2005-2008)
Counters: M. Bernoni, P. Bonazzi, S. Brambilla, F. Canonico, E. Fulco, G. Miapane, G. Palumbo

PROVINCIA DI BOLZANO Coordinator: Oskar Niederfriniger (2000-2008)
Counters: O. Danay, E. Gasser, E. Girardi, J. Hackhofer, L. Hilpold, R. Hithaler, C. Kofler, A. Leitner, M. Moling, M. Moling, O. Niederfriniger, K. Niederkofler, M. Obletter, P. Pedrini, J. Riegel, A. Rinner, U. Thoma, L. Unterholzner, G. Volcan, J. Waschglar, T. Wilham, J. Winkler
Financial supporter: 2000-2008 Arbeitsgemeinschaft für Vogelkunde und Vogelschutz - Südtirol

CALABRIA Coordinator: Toni Mingozzi e Francesco Sottile (2000), Ass. FaunaViva (2001-2008)
Counters: P. Bulzomi, G. Camelliti, S. De Bonis, R. Facoetti, M. Kalby, A. Mancuso, G. Marzano, M. Sacchi, N. Sills, F. Sottile, P. Storino, S. Urso, M. Walters

CAMPANIA Coordinator: Giancarlo Moschetti (Province CE, BN: 2000-2001), Mario Milone (Province NA, AV, SA: 2000-2002) e Maria Filomena Caliendo (2000-2008)
Counters: R. Balestrieri, M. Bruschini, M.F. Caliendo, C. Campolongo, F. Canonico, F. Carpino, P. Conti, G. De Filippo, F. Finamore, M. Fraissinet, D. Fulgione, L. Fusco, M. Giannotti, R. Guglielmi, S. Guglielmi, O. Janni, M. Kalby, C. Mancuso, E. Manganiello, D. Mastronardi, M. Milone, G. Moschetti, S. Picciocchi, D. Rippa, C.E. Rusch, S. Scebba, A. Vitolo, M. Walters

EMILIA-ROMAGNA Coordinator: Stefano Gellini e Pierpaolo Ceccarelli (S.T.E.R.N.A.) (2000-2008)
Counters: F. Aceto, M. Allegri, A. Ambrogio, G. Arveda, L. Bagni, M. Bonora, L. Bontardelli, F. Cacciato, M. Casadei, L. Casini, P.P. Ceccarelli, C. Ciani, I. Corsi, M. Costa, M.E. Ferrari, M. Finozzi, M. Gustin, L. Melega, M. Salvarani, G. Sardella, G. Tellini Florenzano, S. Volponi, F. Zanichelli

FRIULI VENEZIA GIULIA Coordinator: Roberto Parodi (2000-2008)
Counters: A. Borgo, S. Candotto, R. Castellani, M. De Luca, B. Dentesani, U. Fattori, F. Florit, F. Genero, C. Guzzon, K. Kravos, R. Parodi, R. Peressin, V. Simonitti, P.L. Taiariol, M. Toniutti, P. Tout, P. Utmar
Financial supporter: 2002-2008 Regione autonoma Friuli-Venezia Giulia, Direzione centrale risorse rurali, agroalimentari e forestali, Servizio caccia, risorse ittiche e biodiversità, Ufficio studi faunistici

LAZIO Coordinator: Loris Pietrelli (2000), Massimo Brunelli, Stefano Sarrocco, Alberto Sorace (2000-2008)

Counters: C. Battisti, M. Belardi, M. Bernoni, M. Biondi, A. Boano, M. Brunelli, A. Castaldi, C. Catoni, M. Cento, F. Corbi, L. Corsetti, E. De Santis, F. Fraticelli, P. Fusacchia, G. Guerrieri, L. Ianniello, G. Landucci, M. Liberatore, E. Lorenzetti, M. Melletti, A. Meschini, M. Miglio, A. Montemaggiori, R. Papi, L. Pietrelli, F. Pinos, P. Plini, S. Roma, M. Rossetti, F. Rossi, M. Sacchi, B. Santucci, S. Sarrocco, E. Savo, S. Sciré, A. Sorace, D. Taffon, C. Teofili, M. Trotta
Financial supporter: 2006-2008 Agenzia Regionale Parchi del Lazio - Regione Lazio

LIGURIA Coordinator: Luca Baghino (2000-2006), Ass. FaunaViva (2007), Sergio Fasano (2008)
Counters: G. Accinelli, C. Aristarchi, L. Baghino, S. Brambilla, M. Campora, P. Canepa, R. Cottalasso, S. Fasano, C. Figoni, L. Fornasari, L. Galli, C. Galuppo, M. Giorgini, N. Maranini, M. Oliveri, M. Ottonello, C. Peluffo, S. Spanò, R. Toffoli, R. Valfiorito, A. Verner

Financial supporter: 2008 Regione Liguria, Dipartimento Ambiente, Servizio Parchi, Aree protette e Biodiversità; coordinamento: Ente Parco del Beigua

LOMBARDIA Coordinator: Ass. FaunaViva (2000-2008)
Counters: G. Agostani, M. Allegri, F. Baccalini, L. Bani, R. Barezzani, E. Bassi, G. Bazzi, M. Belardi, R. Bertoli, M. Biasioli, P. Bonazzi, M. Bonetti, L. Bontardelli, P. Bonvicini, S. Brambilla, R. Brembilla, M. Caffi, E. Cairo, G. Calvi, M. Canziani, S. Capelli, F. Cecere, F. Ceresa, S. Colaone, P. Cucchi, R. Facoetti, F. Farina, M. Favaron, A. Ferri, I. Festari, L. Fornasari, A. Galimberti, A. Gargioni, G. Gottardi, N. Grattini, W. Guenzani, M. Guerrini, R. Leo, R. Lerco, D. Longhi, L. Longo, G. Lucia, L. Maffezzoli, S. Mantovani, L. Marchesi, M. Marconi, C. Martignoni, A. Micheli, S. Milesi, C. Movalli, A. Nevola, M. Nova, F. Ormaghi, F. Orsenigo, E. Perani, V. Perin, G. Piotti, S. Ravara, G. Redaelli, S. Riva, A. Rossi, C. Rovelli, D. Rubolini, M. Sacchi, R. Sacchi, C. Sbravati, C. Scandolara, M. Sighele, J. Tonetti, M. Valota, A. Viganò
Financial supporter: 2001-2008 Regione Lombardia - D.G. Agricoltura

MARCHE Coordinator: Paolo Perna (2000), Riccardo Santolini (2001-2008)
Counters: J. Angelini, S. Brambilla, E. Cordiner, N. Felicetti, M.E. Ferrari, A. Ferri, D. Fiacchini, M. Furlani, G. Pasini, P. Perna, M. Sacchi, A. Sorace, N. Tonolini

MOLISE Coordinator: Massimo Pellegrini (2000), Lorenzo De Lisio (2001-2008)
Counters: F. Aceto, P. Brichetti, A. Corso, L. De Lisio, M. Pellegrini

PIEMONTE Coordinator: Giovanni Boano (2000-2001), Roberto Toffoli (2002-2008)
Counters: G. Aimassi, P. Alberti, P. Beraudo, R. Bionda, G. Boano, L. Bordignon, A. Boto, F. Carpegna, G. Cattaneo, B. Caula, S. Fasano, M. Favaron, A. Ferri, L. Fornasari, G. Gertosio, L. Giraudo, P. Grimaldi, P. Marotto, C. Movalli, M. Pavia, C. Pulcher, D. Reteuna, G. Roux Poignant, D. Rubolini, R. Toffoli, S. Tozzi
Financial supporter: 2001-2004 Regione Piemonte, Settore Pianificazione Aree Protette, Parco Naturale Alpi Marittime. 2007-2008 Regione Piemonte, Assessorato Agricoltura, Istituto Piante da Legno e Ambiente IPLA

PUGLIA Coordinator: Antonio Sigismondi (2000), Giuseppe La Gioia (Ass. Or.Me) (2001-2008)
Counters: G. Albanese, M. Bux, M. Caldarella, T. Capodiferro, G. Capone, G. Chiatante, P. Chiatante, A. Corso, V. Giacoia, G. Giglio, M. Gioiosa, G. La Gioia, M. Laterza, C. Liuzzi, G. Marzano, G. Nuovo, V. Rizzi, A. Sigismondi, S. Todisco

SARDEGNA Coordinator: Sergio Nissardi e Danilo Pisu (2000-2008), Ass. FaunaViva (2004)
Counters: M. Aresu, N. Baccatti, L. Bassu, P. Cosa, C. Fiesoli, A. Fozzi, C. Fresi, A. Locci, N. Marras, P.F. Murgia, S. Nissardi, D. Pisu, H. Schenk, G. Spano, J. Tonetti, M. Zenatello, C. Zucca
Financial supporter: 2001 Regione Autonoma della Sardegna. Assessorato della Difesa dell'Ambiente

SICILIA Coordinator: Renzo Ientile (2001-2004), Ass. FaunaViva (2000, 2005-2008)
Counters: P. Bonazzi, E. Canale, A. Corso, L. Fornasari, R. Hewins, R. Ientile, G. Leonardi, F. Lo Valvo, M. Lo Valvo, G. Marzano, M. Sacchi, M. Siracusa

TOSCANA Coordinator: Guido Tellini Florenzano (COT) (2000-2002), Luca Puglisi (COT) (2003-2008), Guido Tellini Florenzano (D.R.E.Am. Italia) (2006-2008)
Counters: E. Arcamone, N. Baccetti, G. Battaglia, M. Bonora, T. Campedelli, A. Chiti-Batelli, L. Colligiani, I. Corsi, B. Cursano, S. Cutini, L. Favilli, A. Fontaneli, A. Gaggi, P. Giovacchini, M. Giunti, G. Guerrieri, G. Londi, E. Meschini, L. Mini, D. Occhiato, F. Pezzo, S. Piazzini, L. Puglisi, A. Sacchetti, M. Sacchi, M. Salvarani, R. Savio, P. Sposimo, G. Tellini Florenzano, M. Valtriani, L. Vanni, U. Veken, F. Velatta, A. Vezzani
Financial supporter: 2000-2008 Regione Toscana, Direzione Generale dello Sviluppo Economico, Settore Politiche agroambientali, attività faunistica-venatoria e pesca dilettantistica. Beneficiario COT

PROVINCIA DI TRENTO Coordinator: Paolo Pedrini (Museo Tridentino di Scienze naturali, Zoologia dei vertebrati) (2000-2008)
Counters: V. Cavallaro, F. Ceresa, P. Laimer, L. Marchesi, A. Micheli, O. Negra, O. Niederfriniger, S. Noselli, M. Obletter, P. Pedrini, D. Prevedel, F. Rizzolli, F. Rossi, M. Segata, F. Torben Bach, G. Volcan
Financial supporter: 2000-2008 Museo Tridentino di Scienze naturali, Sezione Zoologia dei Vertebrati: Progetto BIODIVERSITA' (Fondo per la Ricerca - PAT 2001-2005); Provincia Autonoma di Trento: Dipartimento Ambiente, Territorio e Foreste, Servizio Conservazione della Natura - Ufficio Rete Natura 2000

UMBRIA Coordinator: Giuseppina Lombardi e Francesco Velatta (Osservatorio Faunistico Regionale) (2000-2008)
Counters: R. Casalini, E. Cordiner, L. Cucchia, E. Fulco, A. Gaggi, D. Iavicoli, S. Laurenti, S. Marini, A. Masci, A. Meschini, M. Montefameglio, A.M. Paci, R. Papi, F. Renzini, F. Velatta
Financial supporter: 2000-2008 Osservatorio Faunistico Regione Umbria

VALLE D'AOSTA Coordinator: Massimo Bocca (2000-2001), Ass. FaunaViva (2004-2006), Roberto Toffoli (2007-2008)
Counters: M. Bocca, P. Bonazzi, G. Bosio, G. Cattaneo, D. De Siena, A. Ferri, M. Grosa, G. Maffei, M. Nicolino, L. Ramires, L. Ruggieri

VENETO Coordinator: Mauro Bon (2000-2008), Maurizio Sighele (Provincia VR: 2003-2008)
Counters: M. Baldin, K. Bettiol, R. Bonato, M. Bonetti, F. Borgo, L. Boscain, E. Boschetti, S. Bottazzo, M. Bovo, R. Cappellaro, L. Carliotto, M. Cassol, E. Cerato, F. Ceresa, L. Cogo, A. Costa, A. De Faveri, V. Dini, I. Farronato, M. Fioretto, L. Fornasari, G. Fracasso, S. Lombardo, L. Longo, G. Martignago, C. Martignoni, F. Mezzavilla, A. Nardo, S. Noselli, M. Paganin, L. Panzarin, P. Parricelli, R. Peressin, M. Pesente, G. Piras, L. Piva, F. Rizzolli, F. Rossi, G. Sgorlon, M. Sighele, G. Tiloca, R. Ton, A. Tonelli, G. Tormen, S. Valente, E. Verza, G. Volcan, M. Zenatello
Financial supporter: 2001-2008 Ass. Faunisti Veneti (ASFAVE)



Common Nightingale by Francesco De Palma

